SUBDIVISION REGULATIONS

VILLAGE OF GREENWOOD, NEBRASKA

MARCH 27, 2024 ORDINANCE NO. 546

Prepared By:



Village of Greenwood Subdivision Regulations March 2024

TABLE OF CONTENTS

Article and Section Title

Page Number

Article 1		General Provisions	1
Section	101	Title	1
	102	Application	1
	103	Purpose	1
Article 2		Application	2
Section	201	Application and Authority	2
	202		2
	203	Saving Provision	2
Article 3		Rules and Definitions	3
Section	301	Interpretation	3
	302		3
	303	Definitions	3
Article 4		Authorities and Duties	7
Section	401	Zoning Administrator	7
	402	Planning Commission	7
	403	Secretary of the Commission	7
	404	Governing Body	8
Article 5		Procedures	9
Section	501	Preliminary Consultation	9
	502	Preliminary Plat Application	9
	503	Final Plat Application	12
	504	Vacation of Plat of Record	16
	505	Replats/Small Tract Subdivision	17
	506	Lot Splits and Administrative Subdivisions/Plats	17
Article 6		Subdivision Design Standards	. 19
Section	601	General Requirements	19
	602	Streets and Roads	19
	603	Alleys	21
	604	Blocks	22
	605	Lots	22
	606	Sidewalks	22
	607	Flood and Topographic Hazard Areas	. 23
	608	Easements	
	609	Community Assets	
	610	Reservation and Dedication of Public Land and Open Space.	. 24

Village of Greenwood Subdivision Regulations March 2024

	611	Dedication	24
Article and Sect	tion	Title Page Nu	mber
Article 7		Required Improvements	25
Section 7	701	General Requirements	25
7	702	Monuments	25
7	703	Street Grading	26
7	704	Street Construction	26
7	705	Street Name Signs	27
7	706	Culverts	27
7	707	Sidewalks	27
7	708	Driveways	27
7	709	Street and Walkway Lighting	27
7	710	Drainage	27
7	711	Sanitary Sewage Disposal	28
7	712	Water Supply	29
7	713	Shared Improvement Costs	30
7	714	Subdivision Improvement Guarantees	31
7	715	Operation and Maintenance of Improvements	32
Article 8		Waivers and Exceptions	33
Section 8	301	Granting of Waivers (Exceptions) and Conditions	33
8	802	Cluster Developments	33
Article 9		Amendments	33
Section 9	01	Amendments	33
Article 10		Administration	34
Section 1	1001	General	34
1	002	Objection Period	. 34
1	003	Violations and Penalties	34
Article 11		Legal Status Provisions	. 35
Section 1	101	Repeal of Conflicting Resolutions/ordinances	
	102	Separability	
	103	Effective Date	
Appendix A – D	esigr	n Tables	

Table A Minimum Design Standards for Urban Streets Table B

Minimum Design Standards for Rural Roads and Highways

Appendix B - Signature Blocks

Village of Greenwood, Subdivision Regulations March 2024

ARTICLE 1 - GENERAL PROVISIONS

SECTION 101 TITLE

This ordinance shall be known and shall be cited and referred to as "Subdivision Regulations" of Village of Greenwood, Nebraska to the same effect as if the full title were stated.

SECTION 102 APPLICATION

These regulations shall apply to all land located within Corporate Limits and Extraterritorial Jurisdiction for the Village of Greenwood, Nebraska, as indicated on the Official Zoning Maps of the Village of Greenwood, Nebraska, as same may be amended from time to time.

SECTION 103 PURPOSE

The purpose and intent of these regulations is:

- A. To establish uniform rules, procedures and standards governing the subdivision of land,
- B. To assure the that necessary facilities will be provided in any subdivision in an amount and size commensurate with the size of the subdivision and the uses which will occur in the subdivision,
- C. To secure suitable sites for building purposes and protect the property values thereof,
- D. To provide the public with assurance that all subdivisions will be improved in accordance with established public policy,
- E. To coordinate land development with the Comprehensive Plan in the laying out of public ways, places, structures, utilities and services,
- F. To supply proper land records for the convenience of the public and for appropriate identification and permanent location of real estate boundaries, all in accordance with applicable statutes.

ARTICLE 2 - APPLICATION

SECTION 201 APPLICATION AND AUTHORITY

The requirements of this ordinance shall be applied to any and all divisions of a lot, tract or parcel of land into two (2) or more lots, sites or other divisions of land for the purpose, whether immediate or future, of transfer of ownership or building development, including the re-subdivision of land or lots, except that the division of land in which the smallest parcel created is more than Ten (10) acres and the dividing of land within a cemetery for burial plats shall not be considered a subdivision and the provisions of this ordinance shall not apply. Further, the regulations set forth in this ordinance shall apply as follows:

A. Each separate principal use/building within the jurisdiction of this ordinance shall be situated on a single and separate lot of record unless otherwise provided in the zoning ordinance of the Village of Greenwood, Nebraska.

B. No subdivision of land shall be permitted within the jurisdiction of this ordinance unless a plat of such subdivision is approved in accordance with the provisions of this ordinance. Further, no lot in a subdivision may be sold, transferred or negotiated to sell, no permit to erect, alter, or repair any building upon land in a subdivision, and no building may be erected in a subdivision unless a final plat has been approved the Planning Commission and Village of Greenwood Village Board and recorded in the Office of Cass County Register of Deeds.

C. No officer, employee, or agent of the Village of Greenwood, Nebraska shall issue any zoning permit, make any water or sewer connection for any building or buildings constructed or proposed to be constructed on land subdivided contrary to the provisions of this ordinance. No officer, employee or agent of the County or village shall perform or cause to be performed any construction or maintenance upon any street or public way purported to be dedicated as a public street or public way by virtue of being shown on a plat, unless such plat shall have been approved as provided for in this ordinance. These prohibitions shall not apply to any plat or dedication legally recorded prior to the enactment of this ordinance.

D. No excavation of land or construction of any public or private improvements which require a permit shall take place or be commenced on any parcel of land which was created by subdivision after the effective date of this ordinance except in conformity with the requirements and regulations of this ordinance.

SECTION 202 INTERPRETATION

Under the authority to regulate subdivision of land set forth in Nebraska statutes and in their interpretation and application, the provisions of this ordinance shall:

A. Be held to be minimum requirements, adopted for the promotion of public health, safety, morals, or general welfare. Wherever the requirements of the ordinance are at variance with any other lawfully adopted rules, regulations, Resolutions/ordinances, the most restrictive or that imposing the higher standards shall govern.

B. Not be intended to abrogate any easement, covenant or any other private agreement or restriction, provided that where the provisions of this ordinance are more restrictive or impose higher standards than such easement, covenant or other private agreement or restriction the requirement of this ordinance shall apply.

SECTION 203 SAVING PROVISION

These regulations shall not be construed as abating any action now pending under, or by virtue of prior existing subdivision regulations, or as discontinuing, abating, modifying, or altering any penalty accruing or about to accrue, or as affecting the liability of any person, firm or corporation, or as waiving any right of Village under any section or provision existing at effective date of these regulations, or as vacating or annulling any rights obtained by any person, firm or corporation, by lawful action of the Village, except as shall be expressly provided for in these regulations.

ARTICLE 3 - RULES AND DEFINITIONS

SECTION 301 INTERPRETATION

For the purposes of this ordinance, certain terms or words used herein shall be interpreted according to the rules and definitions set forth in this Article, except when the context clearly indicates otherwise.

SECTION 302 RULES

A. The word person includes firm, association, corporation, organization, partnership, trust, company, as well as the individual.

B. The present tense includes the future tense; the singular number includes the plural, and the plural number includes the singular.

C. The words "shall" and "will" are mandatory while the word "may" is permissive.

D. The words "used" or "occupied" include the words intended, designed, or arranged to be used or occupied.

E. The word "lot" includes the words plat or parcel.

SECTION 303 DEFINITIONS

303.01 Alley: a public way which affords only a secondary means of vehicular access to the back or side of property otherwise abutting a street.

303.02 Block: an area of land bounded by streets, railroad rights-of-way, waterways, parks, undeveloped land, or a combination thereof.

303.03 Bond: any form of security, including cash deposit, security bond, collateral, property, or instrument of credit in an amount and form satisfactory to the Village Board which meets the intent of such security required by this ordinance.

303.04 Building Setback Line: lines within a lot which run parallel to the front, side and rear lot lines and setback from said lot lines a distance as prescribed by the applicable zoning regulations, thus delineating the buildable lot area. In instances where the front lot line abuts a private or public roadway established by means of an easement instead of dedication of right-of-way, said front lot line shall be the outer boundary of said easement, measured from the centerline of the roadway.

303.05 Commission: the Village of Greenwood, Nebraska Planning Commission.

303.06 Common Open Space: an area of land or water or combination thereof, planned for passive or active recreation use, which does not include areas for streets, alleys, driveways or private roads, off-street parking or loading areas, or required front yards. Such area may include recreational facilities such as swimming pools, tennis courts and other such outdoor recreational facilities.

303.07 Common sewer system: a sanitary sewerage system in public or semi-public ownership (sanitary improvement district or other semi-public utility entity) which provides for the collection and treatment of domestic sewage and other effluent in one or more centralized treatment plants which meet the minimum requirements of the Nebraska Department of Energy and Environment (aka NDEE).

303.08 Common Water System: a publicly or semi-publicly owned water system which provides for the supply, storage and distribution of potable water on an uninterrupted basis.

303.09 Comprehensive Plan: the Comprehensive Plan of Village of Greenwood, Nebraska, adopted by the Village Board as a guide for the development and improvement of the Village.

303.10 Covenant: a binding agreement made between a subdivider of land and the purchaser(s) of such subdivided land to do or keep from doing specified things.

303.11 Cul-de-sac: a vehicular turnaround area which is located at the closed end of dead-end street or alley.

303.12 Culvert: a transverse pipe that channels water under a street, driveway or other improvement.

303.13 Density: the number of lots per gross acre of land area in a subdivision computed by dividing the gross acreage of the subdivision into the total number of lots in the subdivision.

303.14 Easement: a grant by the property owner for the use of an area or strip of land for a specific purpose by a specific person, a public utility or the general public.

303.15 Engineer: any person registered to practice professional engineering by the State of Nebraska.

303.16 Final Plat: a map, prepared in accordance with the provisions of this ordinance, indicating the subdivision of land which is intended to be recorded for public record in the Register of Deeds Cass County, Nebraska.

303.17 Flood Plain: those lands within the jurisdiction of this ordinance which are subject to a One percent (1%) or greater chance of flooding in any given year, as determined on an Official Flood Hazard Boundary Map or Flood Insurance Rate Map issued by the Federal Insurance Administration, U.S. Department of housing and Urban Development and any revisions thereto, or as determined by the Administrator of the Village of Greenwood Flood Insurance Program designated, whichever is determined by the Village to be a more accurate determination of such flood plain. In instances where interpretation of USGS or other topographic maps requires interpolation of topographic contours, such interpolation shall not be less than one-half (1/2) of the distance between indicated contours.

303.18 Frontage: the length of the property abutting one side of a street, measured along the dividing line between the street and the property.

303.19 Full Control of Access: the condition where vehicular access to an arterial street or roadway, including its location, is fully controlled by the State of Nebraska, Cass County Board or the Village of Greenwood Village Board in connection with streets to give preference to through traffic on such arterial streets or roadways by providing access connections to such arterial streets or roadways only from selected streets or points and by prohibiting crossing at grade and direct driveway connections to such arterial streets or roadways.

303.20 Governing Body: the Village of Greenwood Village Board of Greenwood, Nebraska.

303.21 Improvements: street pavement or resurfacing, curbs, gutters, sidewalks, water lines, sewer lines, storm drains, street lights, flood control and drainage structures, utility lines, landscaping, grading and other facilities and changes normally associated with the development of land for building sites.

303.22 Land Area: the entire area within a subdivision, including lots, open space, and streets and alleys.

303.23 Lot: a parcel of land identified and intended as a unit of transfer of ownership or development.

303.24 Lot Area: the horizontal area of a lot computed exclusive of any portion of a street or alley.

303.25 Lot Depth: the distance between the front lot line and the rear lot line. For irregular shaped lots, the depth shall be the distance from the front lot line and the rear lot line between the midpoints of straight lines connecting the front-most and rear-most points of the side lot lines.

303.26 Lot of Record: a tract of land described as in integral portion of a subdivision plat or a parcel of land described by metes and bounds which has been properly and legally recorded in the Office of the Register of Deeds of Cass County, Nebraska.

303.27 Marginal Access Street: a minor street which runs parallel and adjacent to an arterial street and which serves to limit and control the number of vehicular access points to such arterial street. A marginal access street is commonly referred to as a frontage road.

303.28 Monuments: permanent markers used to establish definitely all corners and lines of the plat of a subdivision on the ground, including all lot corners, boundary lines, corners, and points of change in street alignment.

303.29 Off-site: any premises not located within the property being subdivided, whether or not such premises are in the same ownership and controls the subdivision.

303.30 Outlot: a parcel of land under the same ownership as the land shown on a subdivision plat which is outside of the boundaries of the land which is being subdivided or which is to be excluded from such subdivision due to it being undevelopable or its use for other purposes than development lots.

303.31 Owner: any person, group of persons, firm or firms, corporation or corporations or any legal entity having legal title to or sufficient proprietary interest in the land proposed to be subdivided.

303.32 Partial Control of Access: the condition where vehicular access including its location is partially controlled by the State of Nebraska, Cass County Board or the Village of Greenwood Village Board in connection with arterial streets or roadways to give preference to through traffic on such arterial streets or roadways to a degree that in addition to selected streets, there may be permitted some crossings of such arterial streets or roadways at grade and some direct driveway connections, with the design and location approved by public authority, including the Village Board.

303.33 Pedestrian Way: a right-of-way dedicated to public use, which cuts across a block to facilitate pedestrian access to adjacent streets or properties.

303.34 Preliminary Plat: a map, prepared in accordance with the requirements of this ordinance, indicating a tentative subdivision of land, intended for guidance in the preparation of a final plat.

303.35 Private Street: an approved privately-owned open and unoccupied space, other than a public street or alley, reserved as the principal means of vehicular access to abutting property.

303.36 Public Improvements: any drainage ditch, roadway, parkway, sidewalk, pedestrian way, landscaping, parking area, lot improvement, utility line, or other facility for which the local government may ultimately assume the responsibility for maintenance and/or operation, or which may affect an improvement for which local government responsibility is established.

303.37 Public Way: an alley, avenue, boulevard, bridge, channel, ditch, easement, expressway, freeway, highway, land, parkway, right-of-way, road sidewalk, street, tunnel, viaduct, overpass or other ways in which the general public or a public entity has a right or which is dedicated for public use, whether improved or not.

303.38 Re-subdivision (Re-plat): a change in the plat of an approved or recorded subdivision if such change affects any street layout, area reserved for public use, easement, or any lot line or if it affects any plat legally recorded prior to the effective date of this ordinance.

303.39 Right-of-Way: a strip of land used or intended to be used for pedestrian, vehicular, and utility line circulation and access to property by the general public. Said strip of land is that total area between the boundary lines of the street, alley or easement.

303.40 Sale or Lease: any immediate or future transfer of ownership or any possessory interest in the land, including contract for sale, lease, devise, intestate succession, or transfer of any interest in a subdivision or part thereof, whether by metes and bounds description, deed, contract, plat, map, lease device, intestate succession or other written means.

303.41 Screen Planting / Buffer Strip: an area of land devoted to fences, walls, hedges, shrubs, trees, grass and other landscape materials for the purpose of obstructing view, absorbing sound and providing desirable delineation of property.

303.42 Street / Road: a right-of-way or easement, dedicated to public use, or a private roadway, which provides the principal means of vehicular access to abutting property. Streets/Roads shall be classified in accordance with the standards of the Nebraska State Board of Classifications and the Village's Major Street/Road Plan and shall include:

A. Local (Minor) Road: a road which is used primarily for access to properties abutting on such street and which carries relatively small volumes of vehicular traffic.

B. Collector Road: a road designed to accept vehicular traffic from local roads and link such traffic to employment centers, public facilities and other points of attraction and to link such traffic with arterial streets or roads. Collector roads may also provide access to properties abutting such roads and carry higher volumes of traffic than do local streets or roads.

C. Arterial Road (Major Arterial and Other Arterial): a road designed to accept traffic from local collector roads and transport such traffic at higher volumes and higher speeds into, through or out of a community or Village.

303.43 Subdivider: The owner or owners of land, legal and equitable, who causes land to be divided into a subdivision.

303.44 Subdivision: the division of a lot, tract or parcel of land into two (2) or more lots, sites or other division of land for the purpose, whether immediate or future, of transfer of ownership or building development, including the resubdivision of land or lots and the lease of any land for building development, except that the division of land in which the smallest parcel created is more than ten (10) acres, such division shall not be considered a subdivision and the provisions of this ordinance shall not apply to the subdivision of burial lots in cemeteries. For purposes of this and to classify the types of subdivisions regarding the review and approval processes established in this ordinance, the following sub-definitions shall apply.

A. Major Subdivision: any subdivision not classified herein as a small tract or administrative subdivision.

B. Small Tract Subdivision: any subdivision or land containing not more than four (4) lots fronting on an existing improved street, where separate submission of a preliminary and final plat will not serve the public interest and will not conflict with the intent of these regulations.

303.45 Subdivision/Plat, Administrative: any subdivision or land containing not more than three (3) lots fronting on an existing improved street, not involving any new street, street extension, or extension of public utilities, or any other public improvements, and not adversely affecting the remainder of the parcel or adjoining properties and not in conflict with any provision of the Transportation Plan, the comprehensive plan, the zoning ordinance or these regulations.

303.46 Surveyor: any person registered to practice land surveying in the State of Nebraska.

303.47 Transportation Plan: a written component of the duly adopted Comprehensive Plan which indicates and delineates the classification of existing and proposed streets or roads within the jurisdiction of this ordinance.

ARTICLE 4 - AUTHORITIES AND DUTIES

SECTION 401 ZONING ADMINISTRATOR (Administrator)

A. Receive, review for completeness, file and transmit applications for subdivision approval, sketch plans, preliminary and final plats, improvement plans and specifications to the appropriate review officials, entities and governing bodies.

B. Accept and transmit subdivision application fees to the appropriate governing body.

C. Inform applicants of subdivision requirements, standards and procedures.

D. Cause the publication of all necessary legal notices regarding subdivisions to be published as prescribed by this ordinance with the assistance of the Village Clerk.

E. Send notice of intent to subdivide to owners of record of land within 300 feet (village jurisdiction) of property being considered for subdivision or re-subdivision, with the assistance of the Village Clerk.

F. Review and approve/disapprove administrative subdivisions as herein prescribed...

G. Maintain records pertaining to subdivisions of land in the Village and these regulations.

SECTION 402 PLANNING COMMISSION:

A. Review and recommend approval, recommend approval conditionally or recommend denial of preliminary plats and final plats and transmit preliminary and final plats together with the plans and specifications for subdivisions improvements. The Planning Commission's recommendations for approval, conditional approval or denial shall be forwarded to the appropriate Governing Body for consideration and final action.

B. Make other determinations and decisions as may be required of the Planning Commission from time to time by this ordinance, and by the applicable sections of the Nebraska Statutes related to subdivision of land.

C. Make recommendations regarding exceptions to the terms of this ordinance relative to approval of particular subdivisions to the appropriate Governing Body.

D. Review, consider and when necessary, make recommendations for changes to the zoning ordinance for the Village of Greenwood and this ordinance.

SECTION 403 SECRETARY OF THE COMMISSION:

The Secretary of the Planning Commission (or designated recording secretary) shall have the following duties with regard to this ordinance, provided that all or part of the duties herein listed may be assigned and performed by other Village Officials including the Zoning Administrator:

A. Maintain permanent and current records with respect to these regulations including amendments thereto. Keep minutes and agendas of all meetings and hearings.

B. File copies of all subdivision applications together with applicable filing fees with the appropriate Governing Body.

C. Transmit final plats and related subdivision improvement plans and specifications together with the Planning Commission recommendation for approval, conditional approval or denial to the Governing Body for its consideration and action.

SECTION 404 GOVERNING BODY:

A. Consider Planning Commission recommendations on preliminary and final plats and approve, approve conditionally, or disapprove preliminary and final plats and subdivision improvements plans and specifications.

B. Consider and require financial guarantees regarding installation of approved subdivision improvements.

C. Cause inspections of all subdivision improvements to be made to assure compliance of such improvements with the approved plans and specifications.

D. Accept subdivision improvements after proper certifications by the subdivider and the subdivider's engineer.

E. Accept or reject dedications of rights-of-way.

F. Take other actions as required from time to time including the consideration of amendments to this ordinance.

ARTICLE 5 - PROCEDURES

Any person desiring to subdivide land within the jurisdiction of this ordinance shall comply with the procedures set forth herein and in the sequence specified.

SECTION 501 PRELIMINARY CONSULTATION

Prior to the filing of an application for approval of a preliminary plat or other subdivision, the subdivider shall consult with the Zoning Administrator and village staff (which may include clerk, village attorney or village engineer), as designated by the Village Board and shall present an indication of the proposed subdivision in the form of an approximate sketch showing all contiguous land holdings of the subdivider, together with information regarding physical conditions on the property involved, the type of development proposed, proposed improvements, including tentative layout of streets and lots, proposed methods of providing for water supply, sewage disposal and other public utilities and surface drainage, and any legal encumbrances. The purpose of this preliminary consultation is to afford the subdivider an occasion to avail himself/herself of the advice and assistance of the Administrator before the preparation of a preliminary or final plat of a subdivision in order to conserve time and expense for the subdivider.

The Administrator and village staff shall advise the subdivider regarding the type of subdivision procedure applicable. After this, and the general features to be required in the subdivision have been determined, the subdivider may proceed to cause a preliminary plat to be prepared. For those subdivisions, having at least one of the following characteristics the Zoning Administrator shall have the power to waive any or all requirements of the preliminary plat requirements and procedures and follow the relevant process set forth for the defined type of subdivision in this Ordinance:

501.01 Where the subdivision involves the creation of not more than four new lots Administrative Subdivision) and does not involve the dedication of a public street or is not a part of a larger tract intended for future development;

501.02 Where the subdivision involves the replatting of existing lots and results in the creation of no additional lots (Lot Splits/Consolidation).

SECTION 502 PRELIMINARY PLAT APPLICATION

502.01 SUBMISSION REQUIREMENTS

The subdivider shall take into consideration the advice offered by the Zoning Administrator in preparing and submitting an application for preliminary plat approval. The subdivider shall submit to the Administrator, twelve (12) paper copies and one electronic copy (pdf format) on a memory stick or other village designated electronic device of the preliminary plat and supplemental material specified in Section 502.04 herein, together with one (1) written application on a form specified by the Village. The land area to be included in any preliminary plat shall include all land area which the subdivider proposes to be subdivided, the subdivider shall include all information as required regarding the proposed subdivision as set forth in Section 502.04 herein. For all contiguous land holdings of the subdivider which are not to be included in the subdivision, information as set forth in Section 502.05 herein shall be submitted. The subdivider shall submit a complete application no later than 30 days prior to a regularly schedule planning commission meeting.

502.02 CHECKING OF APPLICATION

Upon submission of a subdivision application, the Zoning Administrator shall check it for completeness. If complete, the following time line shall be adhered to:

A. The Zoning Administrator or Village Clerk shall review the application for completeness. If the application is incomplete, the Administrator shall not docket the application for hearing and shall notify the subdivider/surveyor that the application is incomplete and specify what additional data is needed. The Administrator shall notify the subdivider/surveyor of any incompleteness within five (5) days of the date of filing of the application. If the application has not been filed in time to permit the Notice of Meeting to be published at least ten (10) days prior to the next Planning Commission meeting, such application shall be docketed for hearing at the following Planning Commission meeting.

B. The applicant or representative will need to attend the Planning Commission meeting. The applicant will be mailed an Agenda containing the date, time and place, approximately 10 days prior to the meeting.

C. The applicant or representative will need to attend the Village Board meeting. You will be mailed an Agenda containing the date, time and place of the Village's meeting approximately 10 days prior to the meeting.

502.03 FEES

A preliminary plat review fee shall be paid by the subdivider and shall accompany the application submitted. The amount of such fee shall be in accordance with the schedule of fees adopted by the Village Board and may be amended from time to time.

502.04 SCALE AND PRELIMINARY PLAT CONTENTS

Preliminary plats shall be drawn at a scale of one (1) inch to one hundred (100) feet or larger scale on a maximum sheet size of thirty-six (22) inches by forty-eight (34) inches, and shall include the following information:

A. The name of the proposed subdivision, the acreage of the land in the proposed subdivision and the location of the subdivision by specific legal description.

B. The name(s) of the owner (s) of the land within the subdivision and the name and address of the land planner, surveyor or engineer who prepared the preliminary plat.

C. A vicinity map showing the location of the subdivision.

D. Date, north point and graphic scale of the plat map;

E. The tract designation and other description according to the real estate records of the County Register of Deeds, also, designation of the proposed uses of land within the subdivision.

F. The names of adjoining property owners or subdivision; in addition all owners names and mailing addresses within 300 feet shall be provided on a document separate from plat;

G. The boundary lines (accurate in scale) of the tract to be subdivided;

H. The location and dimensions in feet and hundredths of feet of the boundary perimeter of the subdivision and the location of lot lines, and building setback lines, if such building or setback lines are to be in excess of these required by the applicable zoning regulations, in feet;

I. The locations(s) of any existing building(s) or structure(s) to be retained. Provide an exhibit showing the distance from the building to any adjacent lot line;

J. The names of adjacent subdivisions or the names of record owners of adjoining parcels of un-subdivided land.

K. The names and dimensions of all existing streets and the proposed names and dimensions of all proposed street rights-of-way with approximate grades and curve radii and pavement widths;

L. The location, widths, and names of all existing or platted streets or other public ways within or adjacent to the tract, existing permanent buildings, railroad rights-of-way, and other important features, such as section lines, political subdivision or corporation lines, and school district boundaries.

M. The location of existing and proposed water and sewer lines, including an indication of the horizontal distance from the edge of the subdivision to the nearest public water and sewer.

N. Existing sewers, water mains, culverts or other underground structures within the tract and immediately adjacent thereto with pipe sizes, grades and locations indicated.

O. Existing and proposed topographic contours at one (1) foot intervals.

P. All parcels of land intended to be dedicated for public use or reserved in the deeds for the use of all property owners in the proposed subdivision, together with the purpose of conditions or limitations of such reservation, if any.

Q. The layout, names and widths of proposed streets, alleys, and easements.

R. A clear indication of the proposed course of surface water drainage from the points(s) where the water enters and leaves the subdivision together with the courses of all surface drainage within the subdivision and outside of the subdivision to the point where such water enters a water course or existing recognized storm drain and the locations of proposed storm sewers, culverts and related drainage facilities;

S. A plan of proposed water distribution system, sanitary sewers and storm sewers showing pipe sizes and the location of valves, fire hydrants, and fittings.

T. The location and size of proposed easements, dedications and reservation of land, including any proposed part or common open space sites reserved for common or public use.

U. The layout, numbers and scaled dimensions of proposed lots.

V. An indication of the proposed phasing of the subdivision development.

W. Indication of any portion of the subdivision for which a final plat is to be proposed when the subdivision is to be developed in stages.

X. An indication of how the proposed subdivision improvements are to be financed shall accompany the preliminary plat, but do not need to be indicated on the plat document. Such improvements shall be financed by the subdivider.

Y. Whether this parcel is located within a Wellhead Protection Area.

Z. The following reports or studies may be required with the preliminary plat as determined by the Village Engineer. The applicability of these studies shall be discussed at the pre-application meeting.

- Drainage Study
- Traffic Impact Study

502.05 INFORMATION REQUIRED FOR CONTIGUOUS LAND HOLDINGS OF THE SUBDIVIDER NOT INCLUDED IN PRELIMINARY PLAT

The following information shall be provided in a preliminary plat for any contiguous land owned by the subdivider which is not included in the preliminary plat:

A. The topography of such land using copies of United States Geological Survey (USGS) Maps, LiDAR or other topographic materials or data to allow an evaluation of the drainage patterns and development limitations which may impact design of the proposed preliminary plat or the ability to develop such land in the future.

B. Identification of all areas within the contiguous land holdings of the subdivider which are not included in the preliminary plat which are subject to flooding or ponding or any other hydrological, geological or topographic condition which will or may affect the design of the preliminary plat or which will or may affect the ability to further subdivide such contiguous land holdings at reasonable costs.

502.06 NOTIFICATION OF SCHOOL BOARD

At least twenty (20) days prior to the Planning Commission meeting at which the preliminary plat is to be considered, the Zoning Administrator shall submit a copy of the proposed preliminary plat to each school district which the proposed subdivision may affect, and shall notify the School Board(s) of the Planning Commission meeting, date, time and location.

502.07 NOTIFICATION OF AND REVIEW BY OTHERS

At least twenty (20) days prior to the Planning Commission meeting at which the preliminary plat is to be considered, the Zoning Administrator shall submit one (1) copy of the proposed preliminary plat to the County Surveyor, the County Highway Superintendent, Village engineer, the fire protection district in which the subdivision is located, the electric,

natural gas and telephone companies which will serve the proposed subdivision and any cable television company serving the area together with a communication requesting review and comment by these entities with regard to proper design of the subdivision, easement locations and ability to serve the proposed subdivision. All comments received shall be summarized in writing by the Zoning Administrator or such other Village official as determined by the Zoning Administrator and submitted to the Planning Commission at the meeting at which the proposed preliminary plat is to be considered.

502.08 PLANNING COMMISSION AND BOARD ACTION ON A PRELIMINARY PLAT APPLICATION

Following consideration of the preliminary plat and all comments and recommendations of the Administrator, School Board and public utilities, the Planning Commission shall recommend approval or disapproval of the preliminary plat and transmit such preliminary plat and recommendation to the governing body having jurisdiction over such plat. The Commission may recommend and the governing body may require, as a condition of approval, any reasonable condition to bring the subdivision or plat into conformance with the requirements of this ordinance and the Governing body shall state the specific reason(s) for such disapproval. The governing body shall cause the subdivider to be notified in writing of its action within thirty (30) days, (of such decision) and such notification) and shall state any conditions of approval or any reasons for disapproval. The action of the planning commission shall be recorded and forwarded to the governing body.

502.09 PRELIMINARY PLAT IS CONDITIONAL

Approval of the preliminary plat as set forth herein shall constitute authority to proceed with construction of the subdivision and preparation of the final plat subject to approval of detailed plans and specifications for improvements as set forth herein. The subdivision shall be constructed and the final plat prepared in conformity with the approved preliminary Plat. Material deviation from such approved preliminary plats shall require resubmission for approval.

Approval of a preliminary plat shall not constitute authority to see lots, record the plat, advertise the future conditional sale of lots based on the preliminary plat, or authorize to construct permanent buildings in reliance upon the preliminary plat layout.

502.10 EXPIRATION OF AN APPROVED PRELIMINARY PLAT

Unless a final plat for all or part of the subdivision proposed in any approved preliminary plat has been submitted for consideration by the Planning Commission, the approval of the preliminary plat shall expire twelve (12) months from the date of the original approval by the governing body having jurisdiction over such plat unless the subdivider formally request an extension of such expiration and can show good cause why said governing body should grant an extension. Upon such a request and upon showing of good cause, the governing body may grant an extension for any length of time it determines to be appropriate for the proper planning and development of the Village.

SECTION 503 FINAL PLAT APPLICATION

503.01 SUBMISSION REQUIREMENTS

The subdivider shall take into consideration the advice offered by the Zoning Administrator in preparing and submitting an application for final plat approval. The subdivider shall submit to the Administrator, copies of the final plat and supplemental material specified in Section 503.04 herein, together with one (1) written application on a form specified by the Village. The exact number of copies of the final plat to be supplied, will be determined by the Zoning Administrator. The land area to be included in any final plat shall include all land area which the subdivider proposes to be subdivided, the subdivider shall include all information as required regarding the proposed subdivision as set forth in Section 503.04 herein. For all contiguous land holdings of the subdivider which are not to be included in the subdivision, information as set forth in Section 503.05 herein shall be submitted. The subdivider shall submit a complete application by the 1st of any month to be heard the following month by the Planning Commission and the Village Board.

503.02 CHECKING OF APPLICATION

Upon submission of a subdivision application, the Zoning Administrator shall check it for completeness. If complete, the following time line shall be adhered to:

A. One (1) mylar and eleven (11) paper copies and one electronic copy (pdf format) on a memory stick of the proposed Final Plat (from Surveyor), the completed application, and the applicable fees, must be in the Zoning Administrator's office no later than later than 30 days prior to a regularly schedule planning commission meeting. The Zoning Administrator will notify the surveyor of any changes that may need to be done.

B. Applicant is responsible for getting the following signatures on the Mylar copy of the plat and returning the signed Mylar to the Zoning Administrator's office upon approval of the final plat:

- 1. Owner's signature (must be notarized)
- 2. Surveyor's signature (one creating such plat)
- 3. County surveyor's signature on Plat or letter stating that he has reviewed said Plat.
- 4. Treasurer's signature (any unpaid past and current taxes must be paid at that time).

C. If GIS data is not available to this office the Applicant will be responsible for obtaining aerials from the Farm Service Agency (FSA) and submitting them to the Zoning Administrator's office.

D. The Applicant, or a representative of their choosing, will need to attend the Planning Commission and Village Board Meeting. An Agenda containing the date, time, and place will be mailed to the Applicant approximately 10 days prior to said meeting.

E. After all entities have approved the plat Application, the Applicant will need to have such plat executed by the appropriate governing body and file such plat with the County Register of Deeds. A copy of such filed plat shall be returned to the Zoning Administrator and governing body for filing.

If the application is incomplete, the Administrator shall not docket the application for hearing and shall notify the subdivider/surveyor that the application is incomplete and specify what additional data is needed. The Administrator shall notify the subdivider/surveyor of any incompleteness within five (5) days of the date of filing of the application. If the application has not been corrected/updated with in five (5) days of its return and in time to permit the Notice of Meeting to be published at least ten (10) days prior to the next Planning Commission meeting, such application shall be docketed for hearing at the following Planning Commission meeting.

503.03 FEES

A final plat review fee shall be paid by the subdivider and shall accompany the application submitted. The amount of such fee shall be in accordance with the schedule of fees adopted by the Village Board, as may be amended from time to time.

503.04 SCALE AND FINAL PLAT CONTENTS

Final plats shall be drawn in ink on tracing cloth or dimensionally stable and reproducible plastic film (mylar) at a scale of one (1) inch to one hundred (100) scale on a maximum sheet size of twenty-two (22) inches by thirty-four (34) inches, and shall include the following information:

A. Name of the subdivision, north point, scale of the plat, name of subdivider, date and name, address and seal of the surveyor. Location of boundary lines, in relation to sections, quarter sections, all of which comprise a legal description of the property. All locations shall be tied to land survey corner that has the approval of the County Surveyor

B. The acreage of the land in the final plat and the location of the land within the subdivision final plat be specific legal description indicating boundary lines with accurate lengths, angles and bearings based upon an accurate traverse. Said boundary lines shall be determined by a balanced and closed survey conducted in the field.

C. The lines of all streets and alleys and other lands to be dedicated with their widths and names shall be shown.

D. The name(s) of the owner (s) of the land within the subdivision (See Owner's Certification herein).

E. All Lot lines and dimensions and numbering of lots and blocks according to a uniform system. Statutory systems shall be complied with if applicable.

F. Date, north point and graphic scale of the plat map;

G. Indication of building lines with dimensions if such lines are desired.

H. The name of the surveyor and/or engineer who prepared the final plat, improvement plans specifications. (See Surveyor's Certificate herein).

I. Easements for any right-of-way provided for public use, drainage, services or utilities, showing dimensions and purpose.

J. The name, location and dimensions in feet and hundredths of feet with bearings or deflection angles, radii, arcs and central angles of all curves of the rights-of-way of all streets, alleys and other rights-of-way, the radii, central angles, tangents, lengths of arcs, curvature angles at the street intersections and a complete traverse of each street within and the perimeter of the plat, all lot lines and other sites, and building setback lines in feet, if such building setback lines are to be in excess of these required by the applicable zoning regulations:

K. All dimensions, linear and angular, necessary for locating the lines of lots, tracts, or parcels of land streets, alleys easements and boundaries of the subdivision. The linear dimensions are to be expressed in feet and decimals of feet. The plat shall show all curve data necessary to reconstruct on the ground all curvilinear boundaries and lines and radii of al rounded corners.

L. The location, dimensions in feet and hundredths of feet of all easements, together with an indication of the purpose or purposes of each easement.

M. <u>Closure</u>: The perimeter and blocks of the plat shall close to an allowable unadjusted error of one in 7500. Latitudes and departure computations shall be submitted. All lines in the plat shall meet this standard accuracy.

N. All lake, pond stream or river shore meander lines established by the surveyor indicating the high and low water marks, If any area within the plat is subject to flooding, the minimum floor elevation for each lot which is subject to flooding shall be indicated.

O. The description location and elevation of all benchmarks.

P. All Lot and Block numbers.

Q. The description and location of all permanent monuments set in the subdivision.

R. Accurate location, size, type and material of all monuments, an indication of whether such monuments were found or set and an indication of whether such monuments were found or set and an indication of bench mark elevation and datum controlling such bench mark elevation for any flood hazard area contained in the subdivision.

S. Names in dotted lettering of adjacent plats with location of adjoining streets shown by dashed lines.

T. Accurate locations of any area to be dedicated or reserved for public use or acquisition with the purpose(s) indicated thereon. Any area to be reserved by covenant or deed restriction for the common use by the owners in the subdivision shall also be located and noted.

U. Legal description of the lands being subdivided.

V. Restrictive covenants or deed restrictions applicable to the land contained in the plat either directly on the plat or attached thereto. Such covenants and restrictions shall clearly indicate the disposition of all land within the plat with respect to liability, maintenance and other responsibility, and shall provide for following items:

1. Provisions for the prohibiting maintaining of nuisances.

2. Provisions with reference to utility and drainage easements including the specific provisions that any tree, shrub, fence or other structure or installation placed or allowed to grow in any easement shall be subject to the paramount right of the utility or Village to install, repair, replace and maintain its installations and the utility and Village shall not be liable for replacement or reinstallation of such trees, shrubs, fences or other installation placed or allowed to grow in such easement.

3. Provisions for maintaining proper site distances at street and alley intersections, as required by the Zoning Ordinance and this ordinance.

4. Such other provisions as may be consistent with the use and protection of the subdivision, including provisions for the amendment and enforcement of the covenants or restrictions by any aggrieved property owner in the subdivision.

W. Certificate of Dedication signed and acknowledged by all parties having any title interest in the land subdivided and consenting to the preparation and recordation the plat as submitted.

X. Certification and signature of the surveyor certifying to the effect that the final plat accurately represents a survey made by him/her or under his/her direct supervision, that any changes from the description appearing in the last record transfer of the land contained in the final plat are so indicated, that all monuments shown on the plat actually exist on the ground or will be installed and their position and description is correctly shown and that all dimensional and geodetic data are correct. The following certificates are required on all Final Plats (See Appendix B):

- 1. Owner's Certificate together with Notary.
- 2. Surveyor's Certificate
- 3. County Treasurer Certification
- 4. Planning Commission Approval
- 5. Village Board Approval
- 6. Review of County Surveyor
- 7. Review of Village Engineer
- 8. A space that is a minimum of 2" by 4 1/2" shall be reserved for the Cass County Register of Deeds. The space shall be in the upper right corner (adjacent to the title block is acceptable).

503.05 SUPPLEMENTAL DATA REQUIRED FOR FINAL PLATS

A. Construction Plans and Specifications: The subdivider shall submit construction plans and specifications in accordance with the following requirements for all improvements and installations required by this ordinance. The construction plans and specifications shall consist of all cross-sections, profiles and all other engineering data necessary for the proper design and construction of all improvements and installations required by this ordinance including, but not limited to, the following:

- 1. Streets;
- 2. Storm Sewers, Drainage Ditches, Culverts and Other Elements of the Drainage System;
- 3. Sanitary Sewer System;
- 4. Water System;
- 5. Monuments and Markers;
- 6. Sidewalks and Pedestrian Ways;
- 7. Any Construction Elements Peculiar to the Subdivision.

If the improvements in the subdivision for which a final plat is approved are to be final plat is approved are to be financed through an assessment district, the Village shall create such district and use the applicable construction plans and specifications prepared by the developer and approved by the Village Board prior to the recordation of the plat for which the plans and specifications are being prepared.

503.06 PLANNING COMMISSION ACTION ON THE FINAL PLAT APPLICATION

After consideration of the final plat, after a determination that the final plat is consistent with the approved preliminary plat, and all comments and recommendations of the County Surveyor, Highway Superintendent, Village engineer, Zoning Administrator, utilities companies, school district, fire district and other appropriate persons or entities together with any negotiations with the subdivider, the Planning Commission shall recommend approval or rejection of the final plat and transmit said plat and recommendations to the governing body. If approved, the Commission may attach any reasonable condition to such approval to being the plat into conformance with the requirements of this Ordinance. If rejected, the Commission shall state the specific reason(s) for the rejection. The Commission shall notify the subdivider of the action of the Commission within thirty (30) days and shall state any conditions for approval or any reasons for rejection in writing.

503.07 RECORDING OF ACTION BY THE PLANNING COMMISSION

The action of the Commission shall be noted in the minutes of the Commission together with any conditions of approval or reasons for rejection. If no changes are required on the final plat the Chairperson of the Commission shall date and

sign the plat. If changes are required on the final plat, the Chairperson shall not sign such final plat until such changes have been completed.

503.08 ACCEPTANCE BY THE VILLAGE BOARD

Upon signing the final plat, the Chairperson of the Planning Commission shall forward such approved plat and related construction plans and specifications, if applicable, to the Village Board. The Village Board shall approve or reject such plat and plans and specifications and accept or reject any dedications indicated thereon. If rejected, the Village Board shall state the specific reason(s) for the rejection. The Village Board shall notify the subdivider of the action of the Board within thirty (30) days of its meeting and shall state all reasons for rejection in writing. Final approval by the Board shall be by Ordinance.

503.09 RECORDING OF FINAL PLATS

The developer will be responsible for the filing of the Final Plat with the Register of Deeds and paying the recording fees. The recording of any plat shall be without legal effect unless said plat bears the certifications and signatures of the persons and governing officials as specified in this ordinance. The developer shall submit three copies of the final plat as recorded and three copies of all construction plans and specifications, if applicable, to the Zoning Administrator. Until such copies have been filed no zoning permit or other permit shall be issued for any lot therein.

If the subdivision improvements are to be designed and installed by the Village and an assessment district is to be utilized to finance such improvements, such approved final plat shall be retained by the administrator until such time as the plans and specifications for such improvements have been prepared and approved by the Village Board. Upon such approval, the final plat shall be released to the subdivider for recordation. Construction on such improvements shall not be initiated unless and until the final plat has be recorded.

Every final plat reviewed by the Planning Commission and approved by the Village Board after the effective date of this ordinance shall be recorded and construction of required improvements completed within two (2) years after the date of the Village Board's meeting at which said plat was approved or such final plat shall become void. Notice shall be filed with Register of Deeds by the Village to show the final plat is void. An extension of this timeline could be granted by the Village Board upon written request by the Developer with justification on the delay and a proposed updated schedule provided.

SECTION 504 VACATION OF PLAT OF RECORD

- 504.01 <u>CONDITIONS</u>: A subdivider may make application to the Planning Commission to vacate any plat of record under the following conditions:
 - 1. The Plat to be vacated is a legal plat of record.
 - 2. Vacation of the subdivision will not interfere with development of, nor deny access via public thoroughfare to, adjoining properties or utility services or other improvements.
 - 3. Vacation of the subdivision will not be contrary to the Comprehensive Plan.
- 504.02 <u>PROCEDURES</u>: The owner or owners shall present a proposal to the Planning Commission, containing the legal description of the subdivision and calling for vacation thereof. The Planning Commission shall study the proposal and shall send recommendations to the Village Board. The Village Board shall approve or deny the proposal. If the proposal is approved, it shall be done by ordinance and then it shall be recorded in the office of the Cass County Register of Deeds. All fees for the recording of such vacation shall be paid by the subdivider.

SECTION 505 REPLATS/SMALL TRACT SUBDIVISIONS

Whenever a subdivision or re-subdivision of a parcel consists of eight (8) or fewer lots, the Planning Commission may waive the separate submission requirements for the Preliminary and Final Plats to expedite the subdivision review process if, in the judgment of the Village Engineer, separate submission will not serve the public interest and will not conflict with the intent of these regulations.

505.01 CONCURRENT PLATS SHALL:

- 1. Be discussed with the Zoning Administrator at a scheduled pre-application Conference.
- 2. Be submitted to the Village Clerk according to the appropriate application schedule.
- 3. Be accompanied by the applications fees and completed application forms as required.
- 4. Follow the procedure set forth herein and contain the required information Preliminary and Final Plats.
- 5. Include a drainage plan showing how run-off generated by the proposed development impacts drainage on downstream drainage systems.
- 6. Exceptions: Drainage reports shall not be required for the following:
 - A. Subdivision of existing tax lots that are primarily developed.
 - B. Subdivision of a farmstead that creates not more than two lots and allows for the split of the main residence from the remaining farmstead.
 - C. Acreages where lots are not less than one acre in size.
- Changes required by the Planning Commission shall be made prior to submission to governing body. Final
 plans shall be submitted to the Zoning Administrator at least 15 days prior to the next regular meeting of the
 Governing Body.
- 8. A final plat, in conformance with these regulations, shall be submitted to the Village Board for review and action prior to start of construction.
 - A. Submittal of appropriate plans as noted in Section 503.05 shall be included in the submittal.

SECTION 506 LOT SPLITS/CONSOLIDATION AND ADMINISTRATIVE SUBDIVISIONS/PLATS

506.01 GENERAL

The intent of this section is to provide for the issuance of zoning permits on tracts/lots that are divided, consolidated, or having their boundaries adjusted into not more than four (4) tracts/lots without having to re-plat said tract/lot, provided that the resulting lots shall not again be divided without replatting.

506.02 ZONING ADMINISTRATOR AUTHORITY

The Zoning Administrator is hereby authorized to approve on behalf of the Planning Commission and governing body, further subdivisions of existing platted lots and blocks whenever all required improvements have been installed, no new dedication of public rights-of-way or easements are involved, and such subdivisions comply with the Comprehensive Plan, the Transportation Plan and all applicable zoning regulations.

506.03 PLANNING COMMISION APPROVAL WAIVED

A recommendation of the Planning Commission for administrative subdivisions (plats) of existing lots shall not be required.

506.04 APPLICATION PROCEDURE

Requests for lot split, lot consolidation, or boundary adjustment approval (administrative plats) shall be made by the owner of the land to the Zoning Administrator. A total of at least three (3) copies of a scale drawing of the lots involved if there are not structures thereon, or, if structures are located on any part of the lot being split, consolidated or adjusted, at least three (3) copies of a survey of the lot(s) and the location of the structures(s) thereon together with the precise nature, location and dimensions of the proposed plat shall accompany the application.

506.05 APPROVAL GUIDELINES

Approval or disapproval of administrative plats shall be made based on the following guidelines:

- 1. No administrative plat shall be approved if:
 - A. A new street or alley is needed or proposed.
 - B. A vacation of streets, alleys, setback lines, access control or easements is required or proposed.
 - C. If such action will result in significant increases in service requirements, e.g., utilities, schools, traffic control, streets, etc.: or will interfere with maintaining existing service levels, e.g., additional curb cuts, repaying, etc.
 - D. There is less street right-of-way than required by these regulations or the Comprehensive Plan unless such dedication can be made by separate instrument.

- E. All easement requirements have not been satisfied.
- F. If such split, consolidation or adjustment will result in a tract without direct access to a street.
- G. A substandard-sized lot or parcel will be created.
- H. If the lot has been previously platted in accordance with these regulations.
- 2. No administrative plats shall be approved unless all required public improvements have been installed, no new dedication of public right-of-way or easements is involved, and such subdivision complies with the Regulation requirements concerning minimum areas and dimensions of such lots.
- 3. The Zoning Administrator may make recommendations as deemed necessary to carry out the intent and purpose of existing land development regulations.
- 4. The Administrative Plat shall include the following signature blocks and a certified copy filed with the Cass County Register of Deeds:
 - A. Owner's Certificate together with Notary.
 - B. Surveyor's Certificate
 - C. County Treasurer Certification
 - D. Review of County Surveyor
 - E. Village Approval for administrative plats
 - F. A space that is a minimum of 2" by 4 1/2" shall be reserved for the Cass County Register of Deeds. The space shall be in the upper right corner (adjacent to the title block is acceptable).

506.06 FILING FEE

The filing fee for lot splits and administrative plats shall be set by the Governing Body.

ARTICLE 6 - SUBSIVISION DESIGN STANDARDS

SECTION 601 GENERAL REQUIREMENTS

Land to be subdivided shall be of such character that it can be used safely for building purposes without danger to health or peril from fire, flood, erosion or other menace. If, following investigation, conducted by all public agencies concerned, it is determined that land to be subdivided cannot be used without endangering the health, safety, welfare or would necessitate an excessive expenditure of public financial resources for streets, water and sewer facilities, storm sewers or other facility, the subdivision shall not be approved unless the subdivider formulates adequate methods for meeting such problems.

All subdivisions designs shall conform to the standards of the Comprehensive Plan of current adoption and the Zoning ordinance of the Village. And all required improvements and installations shall be constructed or installed to conform with the provisions of this ordinance and the standard specifications of the Village.

SECTION 602 STREETS / ROADS

The arrangement, if character, extent, width, grade, and location of all streets / roads shall conform to the Transportation Plan, a component of the Comprehensive Plan and shall be considered in their relation to existing planned streets, to topographic conditions, to public convenience and safety, and in their appropriate relation to the proposed uses of the land to be served by such streets.

602.01 STREET EXTENSIONS

When applicable, the street layout in the proposed subdivision shall provide for the continuation or appropriate projection of streets already existing in areas adjacent to the area being subdivided. Where, at the determination of the Planning Commission, it is desirable to provide street access to adjoining properties, proposed streets shall be extended by dedication to the boundaries of the subdivision. Where the Planning Commission deems it necessary, such dead-end streets shall be provided with a temporary turnaround having a radius of at least fifty (50) feet. The street system for the proposed subdivision shall provide for extending existing streets at the same or greater width, but in no case shall street extension be of less width than the minimum width required for the classification of such street by this ordinance

602.02 DEDICATION OF RIGHTS-OF-WAY OR GRANTING OF EASEMENTS FOR NEW STREET

The dedication of rights-of-way or granting of public use easements for new streets, measured from lot line to lot line, shall be as sown on the Transportation Plan, a component of the Comprehensive Plan, and shall meet the right-of-way width requirements as set forth in the corresponding Tables A & B in Appendix A. All streets classified as major or other arterial streets on such Transportation Plan shall have all points of access approved and authorized by the Village Board. Dedication or creation of easements of one-half (1/2) right-of-way or one-half (1/2) easements Subdivision. For a proposed street along the boundaries of the land being subdivided it shall to be practical and reasonable to require dedication or creation of an easement for the other one-half (1/2) of the right-of-way or easement when the adjoining property is subdivided.

Marginal access street (frontage roads and loop streets) shall be required by the Planning Commission for subdivisions fronting on a street classified in the County's Transportation Plan as a major arterial street where existing development would not prohibit the extension of a marginal access street for at least a distance of one hundred fifty (150) feet from either side of the side lot line of the lot or lots being subdivided or if the frontage of the subdivision in question on such major arterial street is three hundred (300) feet or more. If lots back up to a major arterial street and such lots have access other than the arterial street frontage, a marginal access street may not be required. (Refer to Section 602.07).

602.03 DEDICATION OF RIGHTS-OF-WAY OR GRANTING OF EASEMENTS FOR EXISTING STREETS

Subdivisions platted along existing streets shall dedicate additional right-or-way or grant additional public use easements, if necessary, to meet the minimum street right-of-way standards set forth in the ordinance. The entire minimum right-of-way shall be dedicated or granted as a public use easement where the subdivision is on both sides of an existing street. When the Subdivision is located on only one side of an existing street, one-half (1/2) of the required right-of-way, measured from the centerline of the existing street shall be dedicated or granted as a public use easement.

602.04 INTERSECTIONS

Streets shall intersect as nearly as possible at an angle of ninety (90) degrees and no Intersection shall bee at an angle of less than sixty (60) degrees, Street curb intersections shall be rounded by radii or at least twenty (20) feet. When the smallest angle of a street intersection is less than seventy-five (75) degrees, the Planning Commission may require greater curb radii. Wherever necessary to permit the construction of a curb having a desirable radius without reducing the sidewalk at such street corner to less than nominal width, the property line at such street corner shall be rounded or otherwise set back sufficiently to permit such construction. No lot or other parcel of land which abuts on and has access to either a collector or minor (local) street shall have a service drive, curb cut or other means of access to a major arterial street within seventy-five (75) feet of the right-of-way of such arterial street.

602.05 HORIZONTAL AND VERTICAL STREET

A tangent at least one hundred (100) feet long shall be introduced between reversed curves on arterial and collector streets. Where there is a deflection angle of more than ten (10) degrees in the alignment of a street, a curve with a radius adequate to insure safe site distances shall be provided. The minimum centerline radii of street curves shall be as set forth in Tables A or B of this ordinance.

All changes of grade shall be connected by vertical curves that meet the requirements for sight distance based on street classification and traffic counts as noted in the Nebraska Board of Public Roads Classifications and Standards = Minimum Design Standards (Title 428).

602.06 STREET GRADES AND ELEVATIONS

Street grades shall not exceed the maximum grades set forth in Tables A and B of this ordinance unless increased grades are approved by the Planning Commission, the Village Board and, if necessary, the Nebraska Board of Classification and Standards.

All streets shall be designed to provide for the discharge of surface water from the pavement and from the right-of-way by grading and drainage. For adequate drainage, the minimum street grade shall not be less than three tenths (0.3) of one (1) percent. Minimum grades for gutters and ditches shall be four-tenths (0.4) of one (1) percent and five-tenths (0.5) of one (1) percent respectively. Storm sewer construction shall be required where necessary to meet these minimum grade requirements.

The Planning Commission and Village Board shall not approve streets which will be subject to inundation or flooding based upon a ten (10) year storm. All streets must be located at elevations which will make them flood-free from such design intensity storm in order that portions of the subdivisions will not be isolated by floods. Where flood conditions exist, the Planning Commission shall require profiles or elevations of streets in order to determine the advisability of permitting the proposed subdivision activity. Fill may be used in areas subject to flood-free streets if such fill does not increase flood heights. Drainage openings shall be designed so as not to restrict the flow of water and thereby increase flood heights. Street grades shall conform to the minimum requirements provided in Tables A and B of this ordinance.

602.07 MARGINAL ACCESS STREETS

Where a subdivision abuts or contains an existing or proposed major arterial street, the Planning Commission and Village Board shall require marginal access streets, reverse frontage lots with screen planting contained in a no-access reservation along the rear property line, deep lots with rear service alleys, or such other treatment as may be necessary for adequate protection of the platted properties and to afford separation of through and local traffic.

Where the proposed subdivision abuts upon or contains an existing or proposed major arterial street or highway on which traffic volumes and vehicular speeds warrant special safety considerations, the Planning Commission shall require that marginal access streets be provided in order that no new lots shall front on such existing or proposed arterial street or highway.

Where a subdivision borders on or contains a railroad right-of-way or limited access highway right-of-way, the Planning Commission may require a street approximately parallel to and on each side of such right-of-way, at a distance suitable for the appropriate use of the intervening land, such as for park purposes in residential districts, or for commercial industrial purposes in appropriate districts. Such distances shall also be determined with due regard for the requirements of approach grades and future grade separations.

602.08 STREET JOGS

Street jogs with center line offsets of less than one hundred fifty (150) feet shall be prohibited.

602.09 CUL-DE-SAC STREETS

Minor terminal or dead-end streets or courts which are designed so as to have one end permanently closed shall not be longer than six hundred (600) feet and shall be provided at the closed end with a turn-around having a radius at the outside of the pavement of at least fifty (50) feet and a radius at the outside of the right-of-way of at least seventy (70) feet.

602.10 STREET NAMES

Proposed streets which are in alignment with other already existing and named streets shall bear the names of such existing streets. The name of a proposed street which is not in alignment with an existing street, shall not duplicate the name of any existing street.

Whenever a street alignment changes direction more than forty-five (45) degrees without a return to the original alignment within a distance of five hundred (500) feet, then the name of the street shall be changed at the point of curvature.

Whenever a cul-de-sac street serves not more than three (3) lots, the name of the intersecting street may apply to the cul-de-sac.

To avoid duplication and confusion, the proposed names of all streets shall be approved by the Village Board as part of its approval of the final plat prior to such names being assigned or used.

602.11 PRIVATE STREETS AND RESERVE STRIPS

New private streets may be created, provided such streets are specifically authorized by the Village Board under the terms of this ordinance and provision is made for proper maintenance and snow removal from such streets in accordance with the requirements of this ordinance.

602.12 SITE DISTANCE AT INTERSECTIONS

The following paragraphs shall be required as a provision of the restrictive covenants of all final plats:

A. No fence, wall, hedge, tree or shrub planting which obstructs sight lines at elevations between 2.5 and 8 feet above the street, shall be placed or permitted to remain on any corner lot within the triangular area formed by the street right-of-way lines and a line connecting points thirty (30) feet from the intersection of said street lines on local and collector streets and fifty (50) feet for major and other arterial streets, or in the case of a rounded property corner, from the intersection of the street right-of-way lines extended.

B. The same sight line limitations shall apply to any lot within ten (10) feet from the intersection of a street right-of-way line with the edge of a driveway pavement or alley line. No driveway shall be located within forty (40) feet of the intersection of two (2) street lines except for arterial street intersections governed in Section 602.04.

602.13 VISIBILITY REQUIREMENTS

Minimum horizontal visibility measured on inside travel lane center line shall be three hundred fifty (350) feet on major and other arterial streets, two hundred seventy-five (275) feet on collector streets, and two hundred (200) feet on local and other minor streets or as required by the Nebraska Board of Classifications and Standards, whichever is greater.

SECTION 603 ALLEYS

Alleys shall be provided to give access to the rear of all lots used for commercial and industrial purposes, except that the Planning Commission and Village Board may waive this requirement where other definite and assured provisions are made for service access. The minimum width of an alley shall be twenty (20) feet. Alley intersections and sharp changes in alignment shall be avoided, but where necessary, corners shall be cut off sufficiently to permit safe vehicular movement. Dead-end alleys shall fifty (50) feet.

SECTION 604 BLOCKS

The lengths, widths and shapes of blocks shall be determined with due regard to the provision of adequate access and circulation, building sizes suitable to the needs of the use contemplated, zoning requirements regarding minimum lot sizes, widths and frontages and the limitations of opportunities presented by the topography. Block lengths, except in unusual circumstances, shall not exceed eight hundred (800) feet. If an exception is allowed, a pedestrian easement that is ten (10) feet wide shall be provided through or near the center of blocks more than 800 feet long in order to provide for pedestrian circulation.

SECTION 605 LOTS

605.01 GENERAL

The lot size, width, depth, shape and orientation shall be appropriate for the locations of the subdivision and for the type of development and use contemplated.

605.02 LOT DIMENSIONS

Lot dimensions shall conform to the requirements of the applicable zoning district. Residential lots not served by a public sewer may be required to be larger to protect against health hazards of on-site sewage disposal and potential contamination of nearby domestic wells.

605.03 CORNER LOTS

Corner lots for residential use shall have additional width to permit required building setback distances, adequate buildable area and orientation of the residential structure to one or both streets.

605.04 ACCESS TO LOTS

The subdividing of land shall be such as to provide each lot with satisfactory vehicular access by means of a public street or approved private street.

605.05 DOUBLE FRONTAGE AND REVERSE FRONTAGE LOTS

Double frontage and reverse frontage lots, shall be avoided, except where essential to provide separation of residential development from arterial streets or to over come specific disadvantages of topography. Where such lots are used in relation to an arterial street, a landscape screen easement of at least ten (10) feet in width shall be provided along the line of lots abutting such arterial street and the subdivider shall install trees, shrubbery or fences or a combination thereof to screen the residential development from the arterial street and dampen the noise generated by traffic on the arterial streets.

605.06 ANGLE OF SIDE LOT LINES

Side tot lines shall be substantially at right angles or radial to street lines, except in cases, determined by the Planning Commission where odd land configuration or topography would dictate creation of lots with side lot lines at substantial variation with this limitation.

605.07 SETBACK LINES

Minimum building setback lines on lots shall be as regulated by the yard provisions of the applicable zoning district. Where the subdivider desires setback distances in excess of the minimum setback stipulated in the zoning district, such shall be indicated on the final plat.

SECTION 606 SIDEWALKS

606.01 GENERAL

Sidewalks in subdivisions in the unincorporated areas of the Extraterritorial Jurisdiction which are included in the TA – Transitional Agricultural zoning district shall not be required. Sidewalks in subdivisions, including minor subdivisions in the unincorporated areas of the Extraterritorial Jurisdiction which are included in the TA- Transitional Agricultural zoning district shall not be required, except in cases where the average lot size in the subdivision is less that twenty thousand (20,000) square feet and the average lot width is less that seventy-five (75) feet where sidewalks shall be required.

In subdivisions where sidewalks are required, such sidewalks shall be labeled upon the improvement plans and installed by the subdivider, except where unusual conditions exist which eliminate the need for sidewalks and an exception to eliminate all or a portion of the sidewalk construction requirement is recommended by the Planning Commission and approved by the Village Board as part of the final plat approval process.

606.02 STANDARDS

Where required, sidewalks shall be installed within the boundaries of a plat regardless of the use of land in the subdivision and such sidewalks shall be installed according to the following standards:

A. Along both sides of all streets within the subdivision, in which case the edge of the sidewalk nearest the street shall be placed six and one half (6 $\frac{1}{2}$) feet from the back of curb. The minimum sidewalk width shall be five (5) feet.

B. All sidewalks shall extend to the street pavement at all intersections and at mid-block crossing where appropriate and shall be equipped with handicap access ramps meeting current ADA/PROWAG Standards.

C. In neighborhoods planned as cluster developments, sidewalk locations may be adjusted to accommodate the most efficient pedestrian circulation through and to and from the development, including sidewalks in rear yards and elsewhere to accomplish such efficiency in pedestrian movement.

D. The Planning Commission may recommend modification of the requirements of this Section and the Village Board may modify the requirements of this Section, but only in instances where park, railroads, extreme topographical conditions or other unusual conditions, excluding use of the property, make sidewalk installation non-essential or unnecessary on both sides of the street.

SECTION 607 FLOOD AND TOPOGRAPHIC HAZARD AREAS

Land subject to flooding and land deemed to be topographically unsuitable for residential or other development shall not be platted for such purposes. Such land may be included in a subdivision and be set aside on the plat for such uses as will be compatible with the hazards associated with the flooding or erosion. The Planning Commission shall recommend and the Village Board shall require that any building lot situated in a flood prone area be elevated a minimum of one (1 foot above the one hundred (100) year flood elevation in accordance with the requirements of the Zoning Ordinance and the Federal Flood Hazard Insurance Program.

SECTION 608 EASEMENTS

Where needed and necessary easements across lots or centered on rear or side lot lines shall be provided for utilities and drainage and such easements shall be at least twenty (20) feet wide on rear lot lines with ten (10) feet of such easement being on each side of a rear lot line and twelve (12) feet in width on side lot lines (six foot on each side). Where a subdivision is traversed by a water course, there shall be provided a storm water easement or drainage right-of-way conforming substantially with the lines of such water course and such further width as will be adequate for the purpose of retaining the water handling capacity of the water course.

SECTION 609 COMMUNITY ASSETS

In all subdivisions, due regard shall be shown for natural features such as trees, unusual rock or topographic formations, water courses, and any sites having historic significance, which if preserved, would add attractiveness and value to the area. The Planning Commission shall have the authority to recommend and the governing body shall have the authority to require preservation of such natural or historic features as it deems reasonable.

SECTION 610 RESERVATION AND DEDICATION OF PUBLIC LAND AND OPEN SPACE

Before preliminary or final plat approval is given, the Planning Commission may recommend and Village Board may require the subdivider to reserve sites for parks, playgrounds open space, schools and other public uses consistent with the Comprehensive Plan of the Village, as determined by the Planning Commission and Village Board. Reservation of land for public acquisition and/or use shall be for a period of time not to exceed two (2) years from the date the final plat wherein such reserved area is located is recorded unless otherwise provided in this ordinance. If such reserved site is not acquired by the Village or other governmental entity within said two (2) year period, the subdivider may then resubdivide the site and sell any or all of such site. Where a park, playground, school, or other site for public use, indicated in the Comprehensive Plan, is located in whole or in part in an area proposed to be subdivided the Village Board may require immediate acquisition of such site by the Village or other governmental entity or accept the dedication of such area.

SECTION 611 DEDICATION

Before final plat approval is given, the subdivider shall agree to grant public use easements for streets or, with the approval of the Village Board, dedicate rights-of-way for streets as may be recommended by the Planning Commission and required by the Village Board, provided that it is the policy of the Comprehensive Plan and the Village of Greenwood Village Board that the Village will not accept dedication of streets and alleys not part of the Village road system as of the date of adoption of this ordinance. All such streets and alleys to be developed with the subdivision which are not part of the Village road system as of the date of adoption of this ordinance are to be developed as private streets and the subdivider shall make adequate provision, as determined by the Planning Commission and Village Board, for an owner's association or other responsible entity with direct responsibility to and control by the property owners of the subdivision to provide for the proper maintenance of all such private streets and alleys, the removal of debris and the timely removal of snow therefrom so as to maintain adequate access at all times for fire, police, sanitation, utility and emergency vehicles. Legal assurances shall be provided which show that the association shall be self-perpetuating and has the authority to collect assessments upon owners of land in the subdivision to accomplish the required street and alley maintenance.

Such provisions shall also provide for agreement of the property owners within the subdivision, that if the Village, or other government entity is requested or required to perform any maintenance or snow removal from such private streets or alleys in order to maintain adequate access, said owners shall pay the costs thereof to the Village and that if not paid within ninety (90) days of billing by the Village, the same shall become a lien upon all properties with the Subdivision until such costs are paid in full.

ARTICLE 7 - REQUIRED IMPROVEMENTS

SECTION 701 GENERAL REQUIREMENTS

The subdivider shall design and construct improvements using standards not less that the standards outlined in this ordinance. All plans and specifications for such improvements shall be reviewed and recommended by the Planning Commission and approved by the Village Board upon recommendation of the Village Street Superintendent or the designated Engineer of the Village.

If the subdivider is to install such improvements, all construction work shall be done under the supervision of the Village and shall be completed within the time limitations set forth herein. The minimum requirements for materials shall be in accordance with the standard specifications of the Village which are currently in force or as approved by the Village Street Superintendent or the Village's designated Engineer. Standards applicable to health and sanitation as promulgated by the Nebraska Department of Energy and Environment (NDEE) shall be minimum standards unless higher standards are required by the Village.

All inspection costs and costs for required tests shall be the responsibility of the subdivider.

SECTION 702 MONUMENTS

The subdivider shall be responsible for and monuments shall be installed by the subdivider's surveyor so that the top thereof is level with the proposed finished grade adjoining it, and the center, cross mark or other designation thereon shall coincide exactly with the intersecting or other lines so marked and designated.

702.01 MONUMENT LOCATIONS

Monuments shall be installed at:

- A. The intersection of all angles in the boundary line of subdivision
- B. The intersection of all street and alley right-of-way lines within and on the Perimeter of the subdivision.

C. The beginning and ending of all curves in street and alley right-of-way lines, except corner easements having a radius of fifty (50) feet or less.

D. All points where lot lines intersect street or alley right-of-way lines.

E. All points where curves begin and end.

- F. Such other points as are necessary to definitely establish all major plat lines.
- G. All other lot corners not established by monument.

H. All points required to delineate the location or extent of reservations, easements, or dedication s not otherwise defined.

I. Such other points as are necessary to definitely establish all major plat lines.

702.02 MONUMENT CONSTRUCTION

Monumentation shall meet or exceed the "Minimum Standards for Surveys" as adopted by the Professional Surveyors Association of Nebraska in February 1989. These standards are as follows:

The surveyor shall establish or confirm the prior establishment of permanent monuments at each corner on the boundary lines of the parcel being surveyed. Monuments shall be solid and substantially free from movement. In such cases where the placement of a permanent monument at the true corner is impractical because of instability or is likely to be destroyed, the surveyor shall set a corner accessory monument and show its relationship by dimension to the true corner.

The monuments set shall be constructed of material capable of being detected by commonly used magnetic locators. These monuments shall consist of an iron pipe or steel rod with a minimal diameter of five-eighths inch (5/8) and minimal length of twenty-four inches (24). When extenuating circumstances dictate, the surveyor may use monuments (i.e., nail and washer) that have a probability of permanence. Where a corner or a line falls on or within a wall, column line or other physical feature and the placement of a monument is not feasible, the wall, column line or physical feature shall become the monument by reference thereto.

702.03 REPLACEMENT OF MONUMENTS

The replacement or installation of monuments at points designated in the Federal Land Survey System shall be accomplished in accordance with the standards and requirements of the Nebraska State Board of Examiners for Licensed Land Surveyors.

702.04 TEMPORARY MONUMENTS

Temporary monuments and markers may be installed during construction of subdivision improvements, provided however, that permanent monuments and markers shall be a part of the physical improvements covered under the subdivider's financial guarantees required in this ordinance and such monuments shall be installed in accordance with the requirements of this ordinance.

SECTION 703 STREET GRADING

All streets shall be graded to the minimum widths set forth in Tables A & B of this ordinance.

SECTION 704 STREET CONSTRUCTION

704.01 PAVEMENT

Minimum requirements for pavement construction shall be in accordance with the specifications of the Village or as approved by the Planning Commission and Village Board, but in no event shall such standards be less that that required by the Minimum Design Standards adopted by the Nebraska Board of Public Roads Classification and Standards.

Upon recommendation by the Village Street Superintendent or the Village's designated Engineer, higher design standards may be required by the Village Board to provide adequately for unusable soil conditions or extraordinary traffic volumes, axle loads or other abnormal characteristic.

All streets in subdivisions located in the unincorporated areas of the Village Jurisdiction and at least 1,320 feet from the corporate limits in which the average lot size exceeds Twenty Thousand (20,000) square feet and the average lot width exceeds Seventy-Five (75) feet shall be surfaced with material acceptable to the Village Board as per Table B.

All streets in subdivisions that are within the corporate limits of the Village or located in the unincorporated areas of the Village Jurisdiction at a distance not more than 1,320 feet from the corporate limits shall be hard surfaced and include a curb and gutter section. Subdivisions outside this area in which the average lot size is less than Twenty Thousand (20,000) square feet and the average lot width is less than Seventy-Five (75) feet and in subdivisions where the subdivider desires to have the streets paved, shall be paved with asphalt, concrete and include a curb and gutter section in accordance with Table A or as recommended by the Village Street Superintendent or designated Engineer.

The subgrade for rigid and flexible pavements shall be prepared as recommended by a geotechnical engineer of record for the project and/or in compliance with the specifications of the Village or in accordance with the requirements established by the Planning Commission and Village Board, upon recommendation by the Village Street Superintendent or designated Engineer.

704.02 SHOULDERS, SIDE SLOPES AND DITCHES

All shoulders, side slopes and ditches shall be prepared in compliance with the specifications of the Village. All shoulders, side slopes and ditches shall be protected from erosion by either sodding or seeding as recommended by the Village Street Superintendent or designated Engineer. Plans for erosion control shall be part of the final plat improvement plans to be submitted and approved.

704.03 MINIMUM PAVEMENT / SURFACE WIDTHS

Pavement / surface widths shall be measured between the curbs and shall have a minimum width for the classification of the street as set forth in Tables A & B of this ordinance.

704.04 CURBS AND GUTTERS

Curbs and gutters may be required for all streets within the boundaries of subdivisions located within village corporate limits, within the 1,320 feet of corporate limits or where the average lot size is less than Twenty Thousand (20,000)

square feet and the average lot width is less than Seventy-Five (75) feet upon recommendation by the Village Street Superintendent or designated Engineer.

SECTION 705 STREET NAME SIGNS

At least one (1) street name sign shall be installed at each street intersection within or on the perimeter of the subdivision and shall be located on the northeast corner thereof, whenever possible, and on the park strip between the street and the sidewalk at a point approximately six (6) inches from said sidewalk or its intended location. Street name signs of a type in use throughout the Village or approved by the Designated Engineer shall be erected by the subdivider.

SECTION 706 CULVERTS

Culverts shall be constructed and installed whenever necessary to provide adequate surface drainage, as determined by the Planning Commission and Village Board in their review and approval of the subdivision plat and associated improvement plans and specifications.

SECTION 707 SIDEWALKS

Sidewalks shall be constructed in conformance with the requirements of this ordinance and shall be constructed of Portland cement concrete or other acceptable materials approved by the Planning Commission and Village Board in the approval of the subdivision plat and associated improvement plans and specifications. Sidewalk thickness shall not be less than four (4) inches. The subdivider need not install such sidewalks until building construction is completed on a lot by lot basis to avoid damage by heavy construction equipment. The subdivider shall provide appropriate financial assurances, as set forth in this ordinance, and such assurances shall be retained until all sidewalks have been constructed. In no event, shall sidewalk construction on an undeveloped lot be postponed longer than three (3) years after approval of the final plat for the subdivision by the Village Board.

SECTION 708 DRIVEWAYS

Driveways shall have a maximum grade of ten (10) percent. Driveways and curb cuts shall not be closer than six (6) feet from a side lot line. Curb cuts shall be three (3) feet wider than the driveway and each side to provide for a radius on the driveway surface.

SECTION 709 STREET AND WALKWAY LIGHTING

Unless an exception is approved by the Village Board, subdivisions located within village corporate limits, within the 1,320 feet of corporate limits or where the average lot size is less than Twenty Thousand (20,000) square feet and the average lot width is less than Seventy Five (75) feet, the subdivider shall provide easements for electrical power access to and shall install street lights of a type acceptable to the Village at each entrance (street or sidewalk) into the subdivision and at each street intersection within the subdivision and at such intermediate points so that street or walkway light spacing does not exceed three hundred (300) feet between such lighting fixtures. Such lighting in new subdivisions shall utilize underground wiring and appropriate easements for such wiring as indicated on the approved final plat.

SECTION 710 DRAINAGE

A drainage system shall be designed and constructed by the subdivider to provide for proper drainage of surface water into, within and through the subdivision for which preliminary plat approval is sought. The drainage system shall comply with the following requirements.

710.01 DRAINAGE REPORT

A preliminary subdivision plat, other than a minor or administrative subdivision, as herein defined, shall not be considered for final approval until the subdivider shall submit a drainage report prepared by a registered professional engineer as to the existing and proposed drainage conditions. The report may be included on the preliminary plat or attached to the final plat and shall include an evaluation of the ability of the proposed water courses, drainage tiles, storm sewers, culverts and other improvements pertaining to drainage or flood control within the subdivision to handle the run-off which would be generated by the development of the land within and above the subdivision and the impacts of such drainage on downstream drainage systems. The report shall include:

A. Estimates of the quantity of storm water entering the subdivision naturally and estimates of such storm water when the upper watershed shall be developed in a manner in which it is zoned.

B. Existing conditions of the watershed that my affect the proposed subdivision, such as soil type, drainage channels, obstructions and the like.

C. Quantities of flow at each pick-up point.

D. Estimates of temporary erosions control measures necessary to control erosion during construction.

E. A description of an adequate drainage system within the subdivision and its design capacities based on a ten (10) year storm. Storm water flow width on the street for a 10 year storm shall not exceed one half of the adjacent driving lane, as defined in Table A or B.

F. The development shall have a no net increase (pre-development condition to post-development) on storm water run off from the site based on the 2-year, 10-year and 100-year storm events.

710.02 DRAINAGE REQUIREMENTS

The subdivider shall provide adequate drainage facilities with the subdivision including storm sewers determined to be necessary by the Commission upon recommendation of the County's/Village's designated Engineer. If storm sewers are not necessary all open ditches shall be graded and all pipes, culverts, intersectional drains, drop inlets, bridges, headwalls, gutters and similar or related installations necessary to provide adequate surface water drainage shall be constructed and installed in accordance with plans approved by the Commission upon recommendation by the County Highway Superintendent or designated Engineer.

710.03 DRAINAGE SYSTEM STANDARDS

A. All streets shall be provided with an adequate storm drainage system of curbs, gutters and storm sewers or side ditches and culverts.

B. Curb drainage inlets shall be provided at appropriate intervals along streets with curbs and gutter drainage. Where inlets connect to storm sewers a drain inlet structure and a protective grating shall be installed.

C. All streets having curb and gutter on which storm water flows across intersections shall be provided with concrete cross gutters at such intersections.

D. All off-street drainage swales and ditches shall be protected by drainage easements noted on the final plat.

SECTION 711 SANITARY SEWAGE DISPOSAL

A sanitary sewer system shall be designed and constructed by the subdivider for all lots in the proposed subdivision. The following types of sanitary sewage system and the requirements for same shall apply:

711.01 RURAL DENSITY SUBDIVISISONS

In subdivisions in which the minimum lot size is more than Twenty Thousand (20,000) square feet and the minimum lot width is more than Seventy-Five (75) feet, a privately-operated sewer collection, treatment and disposal system acceptable to the Village Board or individual on-site sewage disposal systems, such as a septic tank and tile field, may be used. If individual on-site sewage disposal systems are to be used, the subdivider shall provide documentation of percolation rates on each lot which will adequately support such individual on-site systems and shall verify through documentation that the lots are not subject to a seasonal or permanent high water table. The Planning Commission and Village Board may require additional lot area and/or width in areas where soil percolation is slow and may require greater length of tile fields or greater spacing between such individual disposal systems.

The Planning Commission and Village Board shall not approve a subdivision in instances where soil percolation is inadequate to support individual sewage disposal system and/or where high water tables may exist unless a suitable and adequate substitute sewage disposal system is provided.

711.02 URBAN DENSITY SUBDIVISIONS

Within the corporate limits of the Village of Greenwood or developments immediately adjacent to corporate limits (regardless of lot size), a sanitary sewer collection system, including all pipes and manholes, shall be provided and said collection system shall be connected to the public sewage supply system in accordance with plans acceptable to the Planning Commission and Village Board.

In subdivisions outside the corporate limits, that are not contiguous to the Village, in which the minimum lot size is less that Twenty Thousand (20,000) square feet and the minimum lot width is less than Seventy Five (75) feet, if a public sanitary sewer system located within 500 feet, a sanitary sewer collection system, including all pipes and manholes, shall be provided and said collection system shall be connected to a public sewer of the Village in accordance with plans acceptable to the Planning Commission and the Village Board including:

A. All sewer lines shall be a minimum of eight (8) inch diameter, except for service lines from the sewer main to the property line of each lot shall be at least four (4) inches in diameter. The location of each service line shall be marked.

B. Manholes shall be provided at all interceptor and lateral junctions, at the end of each line and at all changes in direction, grade and size.

SECTION 712 WATER SUPPLY

A water distribution system shall be designed and constructed by the subdivider to provide adequate water service to all lots in a proposed subdivision. The following types of water supply / distribution system and the requirements for same shall apply:

712.01 RURAL DENSITY SUBDIVISIONS

In subdivisions in which the minimum lot size is more than Twenty Thousand (20,000) square feet and the minimum lot width is more than Seventy-Five (75) feet, private water supply wells may be used.

712.02 URBAN DENSITY SUBDIVISIONS

Within the corporate limits of the Village of Greenwood or developments immediately adjacent to corporate limits (regardless of lot size), a water distribution system, including all pipes, fire hydrants, valves and other appurtenances, shall be provided and said distribution system shall be connected to the public water supply system in accordance with plans acceptable to the Planning Commission and Village Board.

In subdivisions outside the corporate limits, that are not contiguous to the Village, in which the minimum lot size is less than Twenty Thousand (20,000) square feet and minimum lot width is less than Seventy Five (75) feet, if a public water system is located within 500 feet, a water distribution system, including all mains, laterals, valves and fire hydrants, shall be provided and said distribution system shall be connected to a public water system of the Village in accordance with plans acceptable to the Planning Commission and the Village Board if:

A. The proposed subdivision is so located with regard to an adequate public water main, either existing or to be installed within one (1) year from the date of application for final plat approval and;

B. Said public water main is located within five hundred (500) feet of the proposed subdivision or, a public water main is located at a greater distance from the proposed subdivision, but the cost of installing the connecting main and water distribution system to all lots shown upon the final plat of the subdivision, exclusive of connections to individual structures, is equal to or less than one hundred fifty (150) percent of the total cost of installing individual wells on each lot shown on such final plat, and;

C. The Village agrees to allow the subdivision to connect to its public water system.

If an urban density subdivision is not so located relative to a public water main or the municipality does not agree to all the subdivision to be connected to its water system, a private water supply system with appropriate wells may be utilized as per NDEE Regulations.

712.03 STANDARDS

When applicable, improvement plans for a public water distribution system shall be provided showing main sizes, types of pipe, locations of fire hydrants, locations and types of valves and, if applicable, booster pumps and other appurtenances. The design of the water distribution system shall be subject to approval of the applicable Village Board and shall be designed in accordance with the following standards:

A. The minimum water main or pipe size shall be determined by the type of use(s) to be served and the provision of adequate fire flow capacities within the subdivision. Generally, water lines shall be at least six (6) inches in diameter.

B. The maximum distance between fire hydrants shall be determined by the Village Board, but generally any portion of the proposed subdivision shall be within two hundred fifty (250) feet of a fire hydrant.

C. Gate valves on cross-connecting water lines shall be so located that no single break in the water distribution system within the subdivision shall require more than five hundred (500) feet of such line to be out of service in commercial and industrial use areas. Valves on cross connecting mains shall be so located that a break in the secondary distribution system will not necessitate shutting down major distribution mains.

D. The design and testing of all water lines shall be in accordance with applicable standards of the applicable Village and the NDEE.

SECTION 713 SHARED IMPROVEMENT COSTS

713.01 OVERSIZE AND OFF- SITE IMPROVEMENTS

The utilities, street pavement and other improvements required for the proposed subdivision may be required by the Planning Commission and Village Board to be oversized or extended to serve nearby land or anticipated future development. This determination shall be made at the sole discretion of the Planning Commission and Village Board in consultation with the Zoning Administrator and the Village Street Superintendent or designated Engineer.

713.02 COST OF OVERSIZE IMPROVEMENTS

Minimum street pavement widths for all streets in a subdivision shall conform to the standards established in Tables A & B of this ordinance. Minimum utility sizes shall be determined by the standards of the applicable municipality, sanitary improvement district or other appropriate entity with regard to providing service to the subdivision in question. Where greater pavement widths are deemed necessary, the Village shall bear the additional cost of providing such greater width. Where greater water or sewer main sizes are deemed necessary, the Sanitary Improvement District or other appropriate entity may bear the additional cost of providing such greater sizes. In the event the Sanitary Improvement District or other appropriate entity agrees to pay for the additional cost of oversizing of streets or utilities, the subdivider shall be required to pay for the part of the construction costs for the arterial streets, sewers, or water distribution mains which would be equivalent to constructing the minimum streets and utilities which would otherwise be required to serve the subdivision in question.

713.03 EXTENSIONS OF IMPROVEMENT TO BOUNDARIES OF A SUBDIVISION

The subdivider may be required to extend streets, utilities, drainage or other improvements in a subdivision to the boundaries of such subdivision at the subdivider's expense to allow for service to future developments on adjoining lands, as determined by the Planning Commission and Village Board.

713.04 OFF-SITE EXTENSIONS

If a subdivision contains lots less that Twenty Thousand (20,000) square feet in area and less that Seventy Five (75) feet in width, and utilities are available at the boundary of the proposed subdivision or within the distances or costs established in Sections 711 and 712 of this ordinance, and the planning commission and village board determine that extensions of public water and/or sewer mains across undeveloped land are warranted, the subdivider, if he/she wishes to proceed, shall pay the cost of such off-site improvements and provide for appropriate off-site easements prior to approval of the final plat for such subdivision unless the affected Sanitary Improvement district or other appropriate entity agrees to share in part or all of the cost of such off-site utility extensions. Such improvements shall be available for use by subdividers of adjoining lands, except that subdividers of such adjoining land shall pay to the Sanitary Improvement District, village or other appropriate entity an amount equivalent to the cost of construction of such off-site improvements and the Sanitary Improvement District, village or other appropriate entity shall pay such amount to the subdivider who installed such offsite improvements.

SECTION 714 SUBDIVISION IMPROVEMENT GUARANTEES

Prior to final plat approval, but after approval of all subdivision improvement plans and specifications, the subdivider shall complete all improvements required for the subdivision. Final plat approval shall not be given until all improvements have been determined to be in accordance with the approved plans and specifications and until dedication of all appropriate improvements and acceptance thereof by the Village Board. In lieu completion of construction of all improvements prior to final plat approval, the Village Board may enter into an agreement with the subdivider whereby the subdivider shall guarantee to complete all improvements required by the Village and this ordinance. To secure such an agreement, the subdivider shall provide, subject to approval and acceptance of the Village Board, one (1) or more of the guarantees set forth below:

714.01 SURETY PERFORMANCE BOND

The subdivider shall obtain a performance bond from a bonding company authorized to do business in the State of Nebraska and acceptable to the Village Board. The bond shall be payable to the Village and shall be in an amount of one hundred ten (110) percent of the estimated cost of all improvements required to be installed by the subdivider. The estimated cost of such improvements shall be subject to review of the Administrator and approved by the Village Board. The duration of the bond shall be until such time as the improvements required to be installed by the subdivider have been installed, inspected and accepted by the Village Board in accordance with Section 714.07 of this ordinance.

714.02 ESCROW ACCOUNT

The subdivider shall deposit cash or other instrument readily convertible to cash at face value, either with the Village or in escrow at a bank. The use of any instrument other than cash and the bank to hold such escrow shall be subject to approval by the Village Board. The amount of the escrow shall be equal to One Hundred Ten (110) percent of the estimated cost of all improvements required to be installed by the subdivider. The estimated cost of such improvements shall be subject to review of the Administrator and approval of the Village Board. The subdivider shall file with the Village Board an escrow agreement between the bank and himself / herself guaranteeing the following:

A. That the funds in such escrow account shall be held in trust until released by the Village and not be used or pledged by the subdivider as security for any other matter during the period such funds are held in escrow.

B. That in the event of failure to the subdivider to satisfactorily install all improvements required of him / her, the bank shall immediately make the funds of such escrow account available to the Village for use in completion of such improvements.

C. As improvements are made by the subdivider and inspected and approved by the County, the amount of escrow may be reduced accordingly, provided that at no time shall be amount held in escrow be less than one hundred ten (110) percent of the estimated cost of improvements which have not been installed or accepted.

714.03 TIME LIMITS

Prior to granting of a final plat approval, the subdivider and the Village Board shall agree upon a deadline for the completion of all subdivision improvements to be installed. Such deadline shall not exceed two (2) years from the date of final plat approval provided however, the Village Board may extend that deadline for one (1) additional year when the subdivider presents good cause for such extension and provides any additional surety made necessary due to inflation or increased cost of completing such improvements.

714.04 FAILURE TO COMPLETE IMPROVEMENTS

If any portion of the improvements required to be installed by the subdivider shall fail to be completed and accepted in compliance with Section 714.05 below within the required time period, either for reason of non-completion or for reason of substandard and unacceptable construction, the Village Board shall take one (1) of the following actions:

A. Where improvements have been guaranteed under Section 714.01 of this ordinance, the bond shall be forfeited to the Village and the Village shall use the proceeds from such bond to complete all improvements remaining to be installed.

B. Where improvements have been guaranteed under Section 714.02 of this ordinance, the Village shall declare whatever security that has been pledged as a guarantee to be forfeited and the Village shall use the proceeds from such guarantee to complete all improvements remaining to be installed.

714.05 INSPECTION AND ACCEPTANCE OF IMPROVEMENTS

The Subdivider's Engineer shall regularly inspect construction of the required improvements. Upon completion of improvements, the Subdivider's Engineer shall file with the Village Board a statement certifying that all improvements as required by the Village Board have been satisfactorily completed, that all such improvements meet or exceed the specifications for such improvements approved by the Village Board and that no defects exists in such improvements exist.

Upon satisfactory completion of all improvements, the subdivider shall file with the Village Board, a signed statement stipulating the following:

A. That all required improvements have been installed and are complete and that all required improvements are in compliance with the plans and specifications approved by the Village Board.

B. That the subdivider knows of no defect in any improvement and that all required improvements are free and clear from any encumbrance or lien.

Upon receipt of the required certifications listed above, the Village Board shall accept any applicable dedication of such improvements.

714.06 RELEASE OF GUARANTEES

Upon acceptance, in accordance with Section 714.05 above, the Village Board shall authorize the release of any outstanding surety or guarantee provided by the subdivider.

SECTION 715 OPERATION AND MAINTENANCE OF IMPROVEMENTS

Unless specifically agreed by the Village Board, it is the intention of the Village to provide no services other than planning, zoning and subdivision regulation administration to the land area within the Extraterritorial Jurisdiction, but outside the corporate limits of the Villages of Greenwood, Nebraska. It shall therefore be the responsibility of the subdivider to present to the Planning Commission and Village Board a precise approach for the maintenance of streets and maintenance and operation of other subdivision improvements within a subdivision so located outside of the corporate limits of the incorporated municipalities at the time of request for final plat approval. Such approach shall include the formation and perpetuation of an owner's association or other appropriate and legal entity for generating the finances necessary for the proper maintenance and operation of the streets and other improvements with the subdivision. Such approach shall be binding on the subdivider in a form, agreement or contract acceptable to the Village Board.
ARTICLE 8 - WAIVERS AND EXCEPTIONS

SECTION 801 GRANTING OF WAIVERS (EXCEPTIONS) AND CONDITIONS

In addition to the exceptions contained in this Ordinance, the Planning Commission may recommend and the Village Board may grant waivers from the provisions of these regulations, but only after determining that:

- A. There are unique circumstances or conditions affecting the property that are not the result of actions by the subdivider.
- B. The waivers are necessary for the reasonable and acceptable development of the property in question.
- C. The granting of the waivers will not be detrimental to the public or injurious to adjacent and nearby properties.

SECTION 802 CLUSTER DEVELOPMENTS

The Planning Commission and Village Board may also grant reasonable waivers to these regulations if the subdivider concurrently submits an application for, and obtains approval of, a cluster development. The subdivider shall indicate where the plans vary from the requirements of this Ordinance and shall present evidence to support such requests.

ARTICLE 9 - AMENDMENTS

SECTION 901 AMENDMENTS

Any provision of these regulations may be amended, supplemented, changed, modified, or repealed from time to time by the governing body according to law, provided however, that such amendments, supplements, changes, modifications or repealed provisions shall not become effective until a study conducted by the Planning Commission and a written recommendation of the Planning Commission is provided to the governing body.

ARTICLE 10 - ADMINISTRATION

SECTION 1001 GENERAL

1001.1 AUTHORITY

It shall be the responsibility of the Zoning Administrator to administer and enforce these regulations and to bring to the attention of the Planning Commission and governing bodies any violation or lack of compliance with these regulations with regard to any subdivision within the jurisdiction of these regulations.

1001.2 LIMITATION ON TRANSFER OF REAL ESTATE

No owner, or agent of an owner of any parcel of land resulting from a subdivision of land with the jurisdiction of these regulations shall transfer or sell a parcel of land unless a plat of such subdivision has been approved by the Planning Commission and governing body in accordance with the provisions of these regulations and filed for record with the Village of Greenwood Register of Deeds. Furthermore, any subdivision of land by use of metes and bounds description, including re-subdivision of platted lots, for the purpose of sale, transfer or lease which would evade the requirements of these regulations shall not be permitted. All such subdivisions shall be subject to the requirements of these regulations.

1001.03 LIMITATION ON ZONING PERMITS

No permit shall be issued for construction of any building or structure located on a lot or parcel subdivided, sold, transferred or leased in violation of these regulations.

SECTION 1002 OBJECTION PERIOD

Whenever any conveyance, in any manner purporting to subdivide real estate, has been or is hereafter recorded in the Office of the Cass County Register of Deeds and the conveyance, or the recording thereof, has failed to comply with any requirement of these regulations, any party claiming an interest in such conveyance may file an affidavit with the Register of Deeds asserting that written notice of the defect in approval has been received by the governing body. Upon filing such affidavit, the governing body shall have one hundred twenty (120) days from the receipt of such notice of defect to record an objection in the Office of the Register of Deeds or such conveyance shall be fully valid. If an objection is filed, the conveyance shall not be validated. The objection shall be in the form of an ordinance. Notwithstanding the validity of such conveyance, the subdivider shall not be relieved of any penalty imposed by these regulations for failure to comply with all the requirements of these regulations. Any conveyance of real estate under the jurisdiction of these regulations for public use shall be valid only upon express approval of the governing body.

SECTION 1003 VIOLATIONS AND PENALTIES

Any person who shall dispose of, or offer for sale or lease, any lot or parcel of land under the jurisdiction of these regulations, until a plat thereof has been duly approved, acknowledged and recorded as provided in these regulations shall forfeit and pay one hundred dollars (\$100.00) for each lot and part of a lot sold or disposed of, leased or offered for sale and/or shall be punishable in any other manner provided under applicable statutes of the State of Nebraska and within these regulations.

Any person, firm or corporation who fails to comply with the provisions of these regulations shall, upon conviction thereof, be guilty of a Misdemeanor and shall be punishable by a fine not to exceed \$100.00 plus the cost of prosecution for each violation, and in default of payment of such fine and costs, imprisonment in the county jail until payment thereof for a period not exceeding 30 days. Each day such violation continues, after notice of violation is given to the offender, may be considered a separate offense.

ARTICLE 11 - LEGAL STATUS PROVISIONS

SECTION 1101 REPEAL OF CONFLICTING REGULATIONS

All regulations in conflict with these regulations are hereby repealed to the extent necessary to give these regulations full force and effect.

SECTION 1102 SEPARABILITY

Should any Article, Section or provision of these regulations be declared by a Court having jurisdiction to be unconstitutional or invalid, such decision shall not affect the validity of these regulations as a whole, or any part thereof other than that part so declared to be unconstitutional or invalid.

SECTION 1103 EFFECTIVE DATE

These regulations shall take effect and be in force from and after its passage and publication according to law.

PASSED AND APPROVED BY THE VILLAGE OF GREENWOOD BOARD THIS _____ DAY OF _____, 2024.

Village Board Chair

Village Clerk

APPENDIX A

Design Tables

(All Streets/Roads shall meet State of Nebraska, Board of Public Roads Classification & Standards) (Inside Village Corporate Limits and within 1,320 feet of Corporate Limits) MINIMUM DESIGN STANDARDS FOR URBAN STREETS **TABLE A:**

Roadway Classification	Design Speed (MPH)-Min.	Minimum Centerline Radii (Ft.)	Maximum Grade (%)	Number of Lanes-Min.	Pavement Width -Min. *** (Ft.)	R.O.W.	Shoulder Width -Min. (Ft.)	Surfacing Type- Minimum
Major Arterial*	50	775	∞	4	50° 48° (no curb)	100'	6 (curb) 8 (no curb)	Hard Surface
Other Arterial, includes all section line roads	45	1775	~~	4	46`	70'	6	Concrete with curb & gutters
Collector*	40	300	6	3	38,	70'	4	Concrete with curb & gutters
Local, includes interior sub. streets	30	200	10	2	28	90, ***	4	Concrete with curb & gutters
Alleys	25	200	15	-1	12,	20'	None	Concrete with curb & gutters
Cul-de-Sac**	30	200	10	2	,001	120'	4	Concrete with curb & gutters
Marginal Access or Frontage Road (no parking allowed)	30	200	10	2	26'	40' ****	4	Concrete with curb & gutters

2016 Minimum Design Standards of the State of Nebraska Board of Public Roads. SOURCE:

Streets in these classifications shall be designed and graded to full right-of-way widths required or as per NDOT (Highways) or Cass County (section line roads). Cul-de-Sac streets shall have a right-of-way diameter of 120 feet at their terminal end, a pavement turn around diameter of 100 feet, and a maximum length of 600 feet. **

Back of Curb to Back of Curb. ***

Minimum ROW of 50 feet for roadway and drainage purposes shall be platted and the minimum ROW shall be increased to contain the full extent of any required cuts and/or fills and for any utilities located in the front of the properties. ****

TABLE B	MINIMUM DESIGN STANDARDS FOR RURAL ROADS AND HIGHWAYS	(Outside 1,320 feet of Corporate Limits)	(All Streets/Roads shall meet State of Nebraska, Board of Public Roads Classification & Standards)
---------	---	--	--

Roadway Classification Design Year	Design Year	Speed		Maximum	Number of	Lane Width	•.	R.O.W. (Ft.) *****	Surfacing
		(MPH)-MID.	-MID. (FL)	Urade (%)	Urade (%) Lanes -MIIn""	-MID (FL).			I ype-ivilin.
Major Arterial &			As redui	ired but appro-	As required but appropriate agency (NDOT or Cass County)	OT or Cass Co	untv)		
Higher •									
F	2,000+	50		s	ŝ	12	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~		
Other Arterial	401-1,999	50	775	S	2	12	6	100	Agg.
	0-400	45		\$	2	11	4		
	401+	50***	000	7	2	12	6	¢,	
Collector	0-400	50***	000	7	2	11	4	//	Agg.
1	401+	30	000	7	2	12	6	77	
LOCAI	0-400	30	700	**	2	11	4	00	Agg.
Cul-de-Sac	VLL	30	200	8	2	12****	4	120	Agg.
Marginal Access or	401+	30		7	,	12	6		
Frontage Road	0.400	20	200	. 0		! =		66	Agg.
(no parking allowed)		2		0	4	11	r		

NOTE: SOURCE:

Design Year shall be year of initial construction plus 20 years. 2016 Minimum Design Standards of the State of Nebraska Board of Public Roads.

Streets in these classifications shall be designed and graded to full right-of-way widths required or as per NDOT (Highways) or Cass County (section line roads). Minimum number of lanes is as per traffic study or as noted. * *

Design speed for collector street interior to development could be reduced to 40 mph with approval of Planning Commission and Village Board. ***

Cul-de-Sac streets shall have a right-of-way diameter of 120 feet at their terminal end, a pavement turn around diameter of 100 feet, and a maximum length of 600 feet. Minimum ROW of 50 feet for roadway and drainage purposes shall be platted and the minimum ROW shall be increased to contain the full extent of any required cuts and/or fills and for any utilities located in the front of the properties. **** ****

APPENDIX B

Signature Blocks

OWNER'S CERTIFICATION (required on all plats)

I/ We the undersigned, ________ owner(s) of the real estate shown and described herein, do hereby certify that I/we have laid off, platted and subdivided, and do hereby lay off, plat and subdivide, said real estate in accordance with the plat.

This subdivision shall be known and designated as _______, an addition to the Village of Greenwood, Nebraska. (Delete this last sentence if the subdivision is located outside the corporate limits and will not be not be annexed to the Village.) All streets and alleys shown are to be private streets owned and maintained by the owners of the property within the subdivision and such streets shall allow, by public use easement, vehicular and utility access to lots within the subdivision unless specifically noted hereon that such streets and alleys are to be dedicated to the public and are hereby dedicated to the public, subject to acceptance of dedication by the Village Board. Any other public lands shown hereon and not heretofore dedicated are hereby dedicated for public use, subject to acceptance of said dedication by the Village Board.

(Where applicable, statements regarding the creation of owner's association or other entity appropriate to providing assessments on property owners for the maintenance of all private streets and other common use facilities subdivision shall be included.)

Clear title to the land contained in this plat is guaranteed unless encumbrances or special assessments are noted and explained as follows:

There are strips of land shown on this plat and marked easement, reserved for the use of public utilities or other entity so indicated and such easements are subject to the paramount right of the utility or other entity so indicated to install, repair, replace and maintain its installations.

(Additional covenants or restrictions and enforcement provisions thereof may be inserted here or attached to the plat.)

Witness our hands on this ____ day of _____, ____

Signature

Signature

STATE OF NEBRASKA))ss COUNTY OF CASS)

Before me, the undersigned Notary Public, in and for the County and State, personally appeared and each separately and severally acknowledged the execution of the foregoing instrument as his or her voluntary act and deed for the purposes therein expressed. Witness my hand and Notarial Seal this _____ day of ______, ____.

Notarial Seal

Notary Public

SURVEYORS'S CERTIFICATION (required on all plats)

I hereby certify that I am a professional land surveyor, licensed in compliance with the laws of the State of Nebraska, that this plat correctly represents a survey conducted by me or under my direct supervision, that any changes from the description appearing in the last record of transfer of the land contained in this plat are so indicated, that all monuments shown hereon actually exist as described on the ground and the position is correctly shown, and that all dimensional and geodetic data are correct.

Surveyor Signature

Date

PLANNING COMMISSION APPROVAL (required on final plats)

The foregoing plat was properly submitted to and reviewed by the Village of Greenwood, Nebraska Planning Commission on this _____day of, ______.

Planning Commission Chairperson

VILLAGE BOARD APPROVAL (required on final plats)

The foregoing plat and any dedications of land are approved and accepted by the Village of Greenwood Village Board on this _____ day of ______, _____

(SEAL)

Board Chairperson

Attest: Village Clerk

Cass County Treasurer

COUNTY TREASURER CERTIFICATION (required on all plats)

This is to certify that I find no regular or special taxes due or delinquent against the property described in the Surveyor's Certificate and embraced in this plat as shown by the records of this office.

Dated this _____ day of _____, ____

(SEAL)

<u>REVIEW OF COUNTY SURVEYOR</u> (required on all plats)

The foregoing plat was reviewed by the office of Cass County Surveyor on this _____ day of _____, 20____

(SEAL)

Cass County Surveyor

REVIEW OF VILLAGE ENGINEER (required on final plats)

The foregoing plat was reviewed was reviewed by the Village Engineer on this _____ day of _____, 20____

Greenwood Village Engineer

VILLAGE APPROVAL (Administrative/ Lot Split/Combination Plat Only)

The Administrative Plat was reviewed and approved by the Village of Greenwood Village Board on this _____ day of

Zoning Administrator

Village Engineer

GREENWOOD PLANNING AND ZONING COMMITTEE MEETING SEPTEMBER 22nd 2022 Call to order Steve called meeting to order at 7:06 PM ROLL CALL Present Steve Darrel Vernon Greg Absent Ann CURRENT BUSINESS Approval of meetings

• No minutes to review from last meeting.

Election of Planning Commission Officers

- Vernon nominated Chair
- Greg nominated Vice Chair
- Ann nominated Secretary Vote was 4-0 to approve

Discussion EH Estates request

• All members agree per town attorney advice, this variance has not been submitted in the proper sequence.

COMMUNICATION OF CITIZENS

None

BOARD QUESTIONS AND COMMENTS

• None uest street addresses with parcel numbers on permits

Steve made a motion to adjourn the meeting at 7:34pm Vernon seconded, all ayes motion carried.

Planning and Zoning Commission MINUTES November 18th, 2021

1. Call to order- 7:30am CT; Open Meetings Act location was noted by the Chair.

a. Planning and Zoning

- i. Steve called the meeting to order, Roll Call:
 - 1. Chair: Steve Wright present
 - 2. Pro temp- Vernon Snell present
 - 3. Treasurer/Secretary- Ann Corey- Absent
 - 4. Member- Gregory Loubert present
 - 5. Member- Darrell Swartz, present
- b. Village Board Members present
 - i. Kevin Gerlach
 - ii. Roger Kubik Meeting Notes -temp secretary

2. Public Hearing

- a. Open Public Hearing- 7:31pm CT
- b. EH Estates Preliminary Plat Hearing
 - i. Comments
 - 1. Maureen Freeman-Caddy, Atty for Village- Recommendations
 - a. Overview of Preliminary Plat and Plans Submitted
 - b. Review of Waivers and Annexation recommendation (Most have been withdrawn in Response Email)
 - c. Annexation will be requested at time of Final Plat submission (together)
 - 2. Julie Ogden, JEO, Engineer for Village recommendations to consider
 - a. Review ROW and Access should be considered
 - b. Access to the adjacent properties for future access
 - c. Waivers
 - i. Reduction in Street ROW- in area that will not allow expansion for what is there today
 - ii. Sidewalks would be waived as not needed in all areas other than specified
 - 3. Marcia Kinning- REGA Engineering, Engineer for Developer
 - a. Requesting Paving from Greenwood to meet the development and possibly pave from alley to Broad, which is outside of the plat of the subdivision. (This to be taken up by Village Board of Trustees)
 - b. HOA is being planned by Developer can address officially in the Subdivision Plan
 - i. Outlot A reviewed and asked about ownership going forward
- c. Close Public Hearing 7:55pm Closed

- 3. New Business 7:56pm CT
 - a. Consideration of Waivers requested and make findings as required by Subdivision Ordinance as to EH Estates.
 - Response 1a (This is out of the plat limits and does not need a wavier specifically) Steve moved to recommend waiver for the Right of Way width from 66 feet to 44 feet from the north/south alley to Broad St.
 - 1. Motion Steve
 - 2. 2nd -Vernon
 - 3. Vote-Ayes -Steve/Vernon/Gregory/Darrell Motion Carries
 - 4. Vote Nays None
 - Response 1b Steve moved to recommend wavier for the Sidewalks along the north side of Mary Drive and on either side of Blaine Street from north/South Alley to Broad Street.
 - 1. Motion Steve
 - 2. 2nd -Vernon
 - 3. Vote- Ayes Steve/Vernon/Gregory/Darrell Motion Carries
 - 4. Vote Nays None
- b. Recommendation(s) to approve or disapprove EH Estates Preliminary Plat.
 - Steve moved to recommend approval the EH Estates Preliminary Plat
 - 1. Motion -Steve
 - 2. 2nd Vernon
 - 3. Vote -Ayes -Steve/Vernon/Gregory/Darrell Motion Carries
 - 4. Vote Nays- None
- 4. Communication of Citizens
 - a. No Communications
- 5. Commission Comments
 - a. None
- 6. Adjournment: Vote to adjourn at 8:08pm CT.
 - a. Steve moved/Vernon Second All Ayes

Respectfully submitted, Roger Kubik Temp secretary for meeting

Greenwood Nebraska

Small Town, Nebraska with Big Heart

Board of Trustees Meeting November 24th ,2021 Meeting Minutes

Chair Wilken called a Regular Meeting of the Greenwood Board of Trustees to order at 7:00 p.m. on Wednesday, November 24th, 2021, at the E.L. McDonald Community Center located at 619 Main Street in Greenwood, Nebraska. Said meeting is open and the public is encouraged to attend. The Board of Trustees reserves the right to adjourn to Executive Session per State Statute 84-1410. Chair Wilken stated the open meetings act is posted in the meeting room for the public to view

Call to order-

Roll call was taken with the following members present: Mack, Ahlman, Kubik, Gerlach, Wilken. Consent Agenda

Vendor	Description	Amount
Amazon	Supplies	\$614.09
American Funds Investment	Services	\$771.68
Bromm, Lindahl, Freeman-	Services	\$1,802.50
Caddy & Lausterer		
Constellation New Gas Energy	Services	\$28.63
Etsy	Supplies	\$14.01
Fastenal	Services	\$39.00
Jacob Blunt	Services	\$450.00
Jasmine Greve	Supplies	\$96.18
Menards	Supplies	\$54.99
Municipal Supply, Inc. of	Services	\$1,448.64
Omaha		
Municipal Supply	Supplies	\$243.39
NDEE	Services	\$115.00
NE Child Support	Services	\$266.77
NE Dept if Revenue	Services	\$4,174.33
NE Public Health	Services	\$31.00
Environmental Lab		
Pinnacle Bank	Services	\$21.00
Ricoh USA Inc.	Services	\$91.56
Rogers Sporting	Supplies	\$425.98
Spickelmier & Son Inc.	Services	\$400.00
USPS	Supplies	\$162.36
Verizon Wireless	Services	\$100.90
Wages	Services	\$7,949.00

Minutes

Claims

Approval of time cards and payroll detail report Financials

- Profit and Loss
- Balance Sheet
- Consideration of Claims
- EFT Transactions

Greenwood Nebraska Small Town, Nebraska with Big Heart

Wilken made a motion to approve the consent agenda, minutes, claims, approval of timecards and payroll detail report, financials, profit and loss, balance sheet, Consideration of Claims and EFT Transactions. Ahlman seconded the motion. Roll call vote: All ayes. Motion carried.

Water Report Sheriff Report Maintenance Report Clerk Report Planning & Zoning- Last meeting they approved EH Estates hearing. Library Park & Rec. Fire and Rescue

Communication of Citizens- None.

Public Hearing

1. EH Estates Preliminary Plat Hearing

Wilken opened the Public Hearing for EH Estates at 7:03pm. Wilken stated if anyone is for the EH Estates Plat Hearing. Marcia Kinning with Rega Engineering provided updated plans. Marcia Kinning stated they updated the grading plan and profiles to match the 27 ft wide paving and right of way at 66ft. Maureen Freeman-Caddy stated after reviewing she wrote a letter of recommendations and provided it to Rega. Freeman-Caddy stated several waivers were removed and went down to two. She also stated it would make sense to Annex EH Estates. Julie Ogden stated the paving of Blaine Street out to Broad Street will be tight but they will be able to fit it. Ogden stated the Cul-de-sac does meet the diameter per the Village regulations. Ogden said she felt it was good to move forward. Wilken asked if anyone was against. Wilken made a motion to end the hearing for EH Estates at 7:11pm. **New Business**

1. Consideration of Waivers requested and make findings as required by Subdivision Ordinance as to EH Estates Wilken made a motion to approve the consideration of Waiver request and make findings as required by subdivision ordinance as to EH Estates. Waiver for the right a way width from 66 to 44 feet from the North/ South alley to Broad Street. Gerlach seconded the motion. Roll call vote: Ayes- Kubik, Gerlach, Mack, Wilken. Ahlman abstained. Motion carried.

Wilken made a motion to approve the waiver for the sidewalks on the North side of Mary Drive on either side of Blaine Street from North to South alley to Broad Street. Gerlach seconded the motion. Roll call vote: Ayes- Gerlach, Mack, Wilken, Kubik. Ahlman abstained. Motion carried.

2. Approve/ Disapprove EH Estates preliminary Plat

Wilken made a motion to approve the EH Estates preliminary Plat. Gerlach seconded the motion. Roll call vote: Ayes- Gerlach, Mack, Wilken, Kubik. Ahlman abstained.

3. Discussion Approve/ Disapprove Water well improvements

John Krager from JEO stated he met with the Village about a month ago to get an idea on options for the New Well here in Greenwood. Krager stated he is asking the board to look at a new location for a well or wells. Krager provided the board with four different possible options for a well. Krager stated the next step would be to fill out a form to have NDEE come out and review the site. Step two would be for Sargent to come out and have them do some test pumping at that site. Step three would be to look at funding sources. Wilken made a motion to move forward with the water will improvements. Mack seconded the motion. Roll call vote: All ayes. Motion carried. **4. Discussion Solar Panels Regulations**

Greve stated she found the requirements in the Village Ordinances about the Solar Panel Regulations. She stated they just need to submit the proper application and follow the proper regulations set forth by the Village Ordinance.

5. Approve/ Disapprove 5 Acer laptops for library using ECF Grant Funds for \$1,999.95 plus \$40.00 shipping Wilken made a motion to approve 5 Acer laptops for library using ECP Grant funds for \$1,995.95 plus \$40.00 shipping. \$40.00 shipping to come out of the library budget. Gerlach seconded the motion. Roll call vote: All ayes. Motion carried.

Greenwood Nebraska

Small Town, Nebraska with Big Heart

6. Approve/ Disapprove Credit for 935 North Street sewer charges for \$1,247.00

Wilken made a motion to approve a refund to Briand Schmidt for \$1,247.00 for sewer charges. Ahlman seconded the motion. Roll call vote: All ayes. Motion carried.

7. Approve / Disapprove electrical purchase for supplies \$2,477.50 from BSE

Wilken made a motion to approve a purchase for \$4,180.43 from BSE. Kubik seconded the motion. Roll call vote: All ayes. Motion carried.

Board Questions or Comments

Wilken stated the gazebos electrical is being completed and hooked up.

Adjournment- Wilken adjourned the meeting at 8:03PM. Ahlman seconded the motion. Roll call vote: All ayes. Motion carried.

Respectfully submitted,

Jasmine Greve